

*List of Species described from Mexico and Central America since the publication of the preceding pages.*

BRENTHIDÆ.

*Brenthus festivus*, Senna, Ann. Soc. Ent. Belg. xli. p. 233 (1897).—Chiriqui and Colombia.

SCOLYTIDÆ.

*Dendroctonus mexicanus*, Hopkins, Proc. Ent. Soc. Wash. vii. p. 80 (1905).—Mexico, Amecameca.

*Gnathotrichus nitidifrons*, Hopkins, l. c. p. 72.—Mexico, Michoacan.

*Phlæophthorus moriperda*, Hopkins, l. c. p. 77.—Mexico, Irapuato.

*Phlæosinus tacubayæ*, Hopkins, l. c. p. 78.—Mexico, Tacubaya.

— *baumanni*, Hopkins, l. c. p. 79.—Mexico, Tacubaya.

*Pityophthorus chalcoensis*, Hopkins, l. c. p. 73.—Mexico, Chalco.

— *herrerai*, Hopkins, l. c. p. 74.—Mexico.

*Platypus pini*, Hopkins, l. c. p. 71.—Mexico, Chalco.

*Tomicus mexicanus*, Hopkins, l. c. p. 75.—Mexico.

— *bonanseai*, Hopkins, l. c. p. 76.—Mexico, Tacubaya.

---

*Dendroctonus parallellocollis*, Chap. (*anteà*, p. 147), is recorded by Mr. Hopkins (*l. c.* pp. 80, 81) from Michoacan, and is stated to be the species most to blame for the destruction of the pine-forests in Mexico.

---