

DRYINUS (p. 444).

Dryinus maculicornis (p. 444).

To the localities given, add :—GUATEMALA, Mirandilla (*Champion*).

The Guatemalan habitat was omitted on p. 444.

EPYRIS (p. 449).

10. Epyris rufipes.

Epyris rufipes, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. i. p. 173 (1888)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

11. Epyris punctatus.

Epyris punctatus, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. i. p. 174 (1888)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

12. Epyris orizabæ.

Epyris orizabæ, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 273 (1897)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

13. Epyris palliditarsis.

Epyris palliditarsis, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 274 (1897)¹.

Hab. MEXICO, Teapa in Tabasco (*H. H. Smith*¹).

14. Epyris scutellaris.

Epyris scutellaris, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 275 (1897)¹.

Hab. MEXICO, Tierra Colorada in Guerrero 2000 feet (*H. H. Smith*¹).

15. Epyris montezuma.

Epyris montezuma, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 276 (1897)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

MESITIUS (p. 455).

Mesitius longicollis (p. 455).

The locality in Mexico, Cordova, was omitted on p. 455.

CORRIGENDUM.

On Tab. XVII. fig. 15 a species of Ichneumonidæ, subfam. Ophioninæ, is figured under the name *Pharsalia albofacialis*: this insect is not mentioned in the text, and as the locality-label has been lost, it is not advisable to describe it now.