

EUAGRA.

Euagra, Walker, Cat. ii. p. 323.

This genus now has five or six species placed in it, only one as yet having been found in our country, the others in South America.

1. ***Euagra hæmanthus*.**

Diopsis hæmanthus, Walk. Cat. ii. p. 324¹.

Euagra hæmanthus, Butl. Cist. Ent. ii. p. 111².

Hab. MEXICO^{1 2}; GUATEMALA, El Tumbador 2500 feet, Zapote, Lanquin (*Champion*); COSTA RICA, Cartago (*Van Patten, mus. D.*); PANAMA, Bugaba 800 to 1500 feet (*Champion*).

This species has a very wide range in our country, but it appears to be scarce. I have only received a few examples, mostly single specimens, from each locality. The specimens before me do not show the slightest variation.

MYDROMERA.

Mydromera, Butler, Cist. Ent. ii. p. 112.

1. ***Mydromera isthmia*.**

Euagra isthmia, Feld. Reise Nov. Lep. iv. t. 105. f. 24¹.

Mydromera isthmia, Butl. Cist. Ent. ii. p. 112.

Agyrta molckeni, Staudinger, Verh. k.-k. zool.-bot. Ges. Wien, 1875, p. 121.

Hab. GUATEMALA, Torola 1000 feet, Las Mercedes, Telemán, Panima (*Champion*); BRITISH HONDURAS, Rio Sarstoon (*Blancaneaux*); NICARAGUA, Chontales (*Belt*).—COLOMBIA, Muzo (*Chesterton, mus. D.*); AMAZONS¹.

This insect appears to be pretty common in Guatemala, but from other localities further south I have only received a few examples.

METASTATIA.

Metastatia, Butler, Cist. Ent. ii. p. 115.

Mr. Butler founded this genus for the reception of Hübner's *Hyelosia pyrrhorhæa*.

1. ***Metastatia saphira*.**

Agyrta saphira, Staudinger, Verh. k.-k. zool.-bot. Ges. Wien, 1875, p. 122¹.

Hab. GUATEMALA, Panima, Las Mercedes (*Champion*); PANAMA, Volcan de Chiriqui¹ (*Ribbe, mus. Staudinger*), Caldera (*Champion*).

Subfam. CTENUCHINÆ.

PHILOROS.

Philoros, Walker, Cat. ii. p. 283.

BIOL. CENTR.-AMER., Heter., Vol. I., August 1884.