

2. **Ctenucha votiva.**

*Ctenucha votiva*, H. Edwards, Papilio, iv. p. 13.

*Hab.* MEXICO, State of Vera Cruz (*Schaus*).

3. **Ctenucha proxima.**

*Ctenucha proxima*, H. Edwards, Papilio, iv. p. 14.

*Hab.* MEXICO, State of Vera Cruz (*Schaus*).

4. **Ctenucha modulata.**

*Ctenucha modulata*, H. Edwards, Papilio, iv. p. 14.

*Hab.* MEXICO, State of Vera Cruz (*Schaus*).

5. **Ctenucha bimaculata.**

*Ctenucha bimaculata*, Feld. Reise Nov. Lep. t. 103. f. 4<sup>1</sup>.

*Hab.* GUATEMALA<sup>1</sup>.

6. **Ctenucha affinis**, sp. n.

Closely allied to *C. bimaculata*, the only difference being the absence of the white spot at the apex of the primaries.

*Hab.* GUATEMALA, San Gerónimo (*Champion*).

I have before me two males and two females of this moth; they do not show the slightest indication of the apical white spots. I have, therefore, ventured to describe it as a separate species.

## LEUCOPSUMIS.

*Leucopsumis*, Hübner, Verz. bek. Schmett. p. 177; Walker, Cat. ii. p. 310.

1. **Leucopsumis circe.**

*Bombyx circe*, Cram. Pap. Exot. iii. t. 263. f. D, t. 274. f. E<sup>1</sup>.

*Leucopsumis circe*, Hübn. Verz. bek. Schmett. p. 177.

*Iosia circe*, Walk. Cat. ii. p. 311<sup>2</sup>.

*Evagra affinis*, Boisd. Léop. Guat. p. 88<sup>3</sup>.

*Hab.* NICARAGUA<sup>3</sup>.—ECUADOR, Guayaquil<sup>3</sup>; VENEZUELA to BRAZIL<sup>1 2</sup>.

I think it doubtful if this species occurs in our country. I only include it here on the authority of Boisduval. In South America it is a common species.

## THEAGES.

*Theages*, Walker, Cat. iii. p. 721.

This genus is scarcely distinct from *Eucereon*.

1. **Theages quadricolor.**

*Theages quadricolor*, Walk. Cat. iii. p. 722<sup>1</sup>; Butl. Journ. Linn. Soc., Zool. xii. p. 430.

*Hab.* PANAMA, Volcan de Chiriqui (*Champion, Ribbe*).—BRAZIL<sup>1</sup>.