

CERCOPIDÆ.

26. **Sphenorhina biolleyi.**

Sphenorhina biolleyi, Distant, Trans. Ent. Soc. 1900, p. 693¹.

Hab. COSTA RICA, La Laguna (*Biolley*¹).

27. **Sphenorhina quota.**

Sphenorhina quota, Distant, Trans. Ent. Soc. 1900, p. 693¹.

Hab. COSTA RICA, La Laguna (*Biolley*¹).

28. **Sphenorhina perfecta.**

Sphenorhina perfecta, Walk. Ins. Saund. p. 90 (1858)¹; Distant, Trans. Ent. Soc. 1900, p. 693².

Hab. COSTA RICA, Las Delicias (*Biolley*²).—SOUTH AMERICA¹.

29. **Clastoptera bimaculata.**

Clastoptera bimaculata, Baker, Ent. News, xi. p. 464 (1900)¹.

Hab. MEXICO, Vera Cruz (*Heyde*¹).

The following corrections must be made :—

Gargaropsis, Fowler (*anteà*, p. 167), is, apparently, not a Membracid; according to Ball [*Psyche*, ix. pp. 128–130 (1900)] it is synonymous with *Macropsis*, Lewis, but this seems doubtful. It is very different from *Stragania*, which Stål considers synonymous with the same genus.

Salvina *Chinaia*
Tettigonia dorsisignata and *T. rubescens* (*anteà*, p. 282) must be referred to the Jassidæ, but their generic location is at present doubtful; in some of these insects there are bright spots between the eyes, which look like ocelli, unless closely examined, and are very misleading.