

Geographical Distribution of the Species (*continued*).

	N. Am.	N. Mex.	S. Mex.	B. Hond.	Guat.	Hond. & Salv.	Nicar.	Costa R.	Pan.	S. Am.	W. Ind.	Old World, &c.	General Remarks.
<b>Vol. II. (<i>contin.</i>).</b>													
<b>FORMICARIIDÆ (<i>contin.</i>).</b>													
<i>Thamnophilus bridgesi</i> .....								*	*	*			
— <i>virgatus</i> .....								*	*	*			
— <i>atrinucha</i> .....						*		*	*	*			
— <i>pulchellus</i> .....								*	*	*			
— <i>doliatus</i> .....		*	*	*	*	*	*	*	*	*			
— <i>nigricristatus</i> .....								*	*	*			
<i>Thamnistes anabatinus</i> .....								*	*	*			Genus represented in S. America.
<i>Dysithamnus semicinctus</i> .....				*				*	*	*			
— <i>puncticeps</i> .....								*	*	*			
— <i>striaticeps</i> .....								*	*	*			
<i>Myrmotherula surinamensis</i> .....								*	*	*			
— <i>fulviventeris</i> .....						*		*	*	*			
— <i>melana</i> .....								*	*	*			
— <i>menetriesi</i> .....				*				*	*	*			
<i>Terenura callinota</i> .....								*	*	*			
<i>Cercomacra tyrannina</i> .....			*	*	*	*	*	*	*	*			
— <i>nigricans</i> .....								*	*	*			
<i>Formicivora boucardi</i> .....			*	*	*	*	*	*	*	*			Genus represented in S. America.
— <i>virgata</i> .....								*	*	*			
<i>Rhamphocenus semitorquatus</i> .....								*	*	*			
— <i>rufiventeris</i> .....			*	*	*	*	*	*	*	*			
<i>Gymnopathys bicolor</i> .....								*	*	*			Genus represented in S. America.
— <i>olivascens</i> .....						*	*	*	*	*			
<i>Gymnocichla nudiceps</i> .....								*	*	*			
— <i>chiroleuca</i> .....						*	*	*	*	*			
<i>Myrmelastes immaculatus</i> .....								*	*	*			
— <i>lawrencii</i> .....								*	*	*			
— <i>intermedius</i> .....								*	*	*			
— <i>occidentalis</i> .....								*	*	*			
<i>Myrmeciza swainsoni</i> .....								*	*	*			
— <i>laemosticta</i> .....								*	*	*			
— <i>stictoptera</i> .....								*	*	*			
<i>Hypocnemis naevioides</i> .....								*	*	*			
<i>Formicarius moniliger</i> .....			*	*	*			*	*	*			
— <i>hoffmanni</i> .....							*	*	*	*			
— <i>analis</i> .....								*	*	*			
— <i>rufipectus</i> .....								*	*	*			
<i>Phlogopsis macleani</i> .....							*	*	*	*			Genus represented in S. America.
<i>Pittasoma michleri</i> .....								*	*	*			Genus peculiar to Central America.
— <i>zeledoni</i> .....								*	*	*			
<i>Grallaria guatemalensis</i> .....				*	*	*	*	*	*	*			Genus numerous in species in S.-American Andes.
— <i>mexicana</i> .....			*					*	*	*			
— <i>princeps</i> .....								*	*	*			
— <i>perspicillata</i> .....								*	*	*			
— <i>lizanoi</i> .....								*	*	*			
— <i>intermedia</i> .....								*	*	*			
— <i>dives</i> .....							*	*	*	*			
<i>Grallaricula flavirostris</i> .....							*	*	*	*			
<b>PTEROPTOCHIDÆ.</b>													
<i>Scytalopus argentifrons</i> .....								*	*	*			Genus numerous in S. America.
<i>Zeledonia coronata</i> <sup>1</sup> .....								*	*	*			Genus peculiar to Costa Rica.
<b>TROCHILIDÆ.</b>													
<i>Heliothrix barroeti</i> .....				*	*	*	*	*	*	*			Genus represented in S. America.
<i>Hemistephania veraguensis</i> .....								*	*	*			
<i>Glaucis hirsuta</i> .....								*	*	*			
<i>Iache latirostris</i> .....		*	*	*									
— <i>magica</i> .....		*											
— <i>lawrencii</i> .....		*											Tres Marias only.
— <i>doubledayi</i> .....		*											
<i>Phæoptila sordida</i> .....		*											Genus peculiar to Mexico.

<sup>1</sup> See footnote, *antè*, p. xi.