

## 2. *Myiozetetes similis*.

*Muscicapa similis*, Spix, Av. Bras. ii. p. 18, t. 25<sup>1</sup>.

*Myiozetetes similis*, Scl. Cat. Birds Brit. Mus. xiv. p. 161<sup>2</sup>.

*Tyrannula texensis*, Giraud, Birds of Texas, t. 1<sup>3</sup>; Scl. P. Z. S. 1855, p. 65<sup>4</sup>.

*Elænea texensis*, Scl. P. Z. S. 1856, p. 296<sup>5</sup>.

*Myiozetetes texensis*, Moore, P. Z. S. 1859, p. 56<sup>6</sup>; Scl. P. Z. S. 1859, pp. 366<sup>7</sup>, 1864, p. 176<sup>8</sup>; Cat. Birds Brit. Mus. xiv. p. 162<sup>9</sup>; Scl. & Salv. Ibis, 1859, p. 123<sup>10</sup>; P. Z. S. 1870, p. 837<sup>11</sup>; Owen, Ibis, 1861, p. 64<sup>12</sup>; Cab. J. f. Orn. 1861, p. 245<sup>13</sup>; Lawr. Ann. Lyc. N. Y. viii. p. 183<sup>14</sup>, ix. pp. 112<sup>15</sup>, 201<sup>16</sup>; Mem. Bost. Soc. N. H. ii. p. 286<sup>17</sup>; Bull. U. S. Nat. Mus. no. 4, p. 26<sup>18</sup>; v. Frantz. J. f. Orn. 1869, p. 307<sup>19</sup>; Sumichrast, Mem. Bost. Soc. N. H. i. p. 557<sup>20</sup>; Salv. Cat. Strickl. Coll. p. 309<sup>21</sup>; Nutt. & Ridgw. Pr. U. S. Nat. Mus. vi. pp. 374<sup>22</sup>, 384<sup>23</sup>, 402<sup>24</sup>; Ridgw. Pr. U. S. Nat. Mus. v. p. 500<sup>25</sup>; Perez, Pr. U. S. Nat. Mus. ix. p. 154<sup>26</sup>.

*Myiozetetes colombianus*, Cab. & Hein. Mus. Hein. ii. p. 62<sup>27</sup>; Lawr. Ann. Lyc. N. Y. vii. p. 328<sup>28</sup>, viii. p. 178<sup>29</sup>; Scl. & Salv. P. Z. S. 1864, p. 359<sup>30</sup>; Salv. P. Z. S. 1870, p. 197<sup>31</sup>.

*Tyrannula cayennensis*, Sw. Phil. Mag. new ser. i. p. 367<sup>32</sup>.

*Muscicapa cayennensis*, Licht. Preis-Verz. mex. Vög. p. 2 (cf. J. f. Orn. 1863, p. 58)<sup>33</sup>.

*Tyrannus superciliosus*, Bp. P. Z. S. 1837, p. 118 (nec Swains.)<sup>34</sup>.

Supra obscure olivaceous; capite summo nigricanti-griseo, crista celata coccinea ornato; fronte griseo-albida, superciliis elongatis albis; loris et genis nigricantibus; alis et cauda fusco-nigris, illis medialiter obscure olivaceo stricte limbatis: subtus flavissimus, subalaribus concoloribus; gutture toto albo: rostro et pedibus nigris. Long. tota 7.0, alæ 3.8, caudæ 3.0, tarsi 0.8, rostri a rictu 0.7. (Descr. maris ex Vera Cruz, Mexico. Mus. nostr.)

*Hab.* MEXICO<sup>33</sup>, Mazatlan (*Grayson*<sup>17</sup>, *Xantus*<sup>17</sup>, *Forrer*), Tepic (*Grayson*<sup>17</sup>), plains of Colima and Tonila (*Xantus*<sup>17</sup>), Acaguizotla, Dos Arroyos (*Mrs. H. H. Smith*), Acapulco (*A. H. Markham*, *Mrs. H. H. Smith*), Aldama and Tampico (*W. B. Richardson*), State of Vera Cruz (*Sumichrast*<sup>20</sup>), Jalapa (*de Oca*<sup>7</sup>, *F. D. G.*), Chietla (*Ferrari-Perez*<sup>26</sup>), Cordova (*Sallé*<sup>5</sup>), Vera Cruz (*W. B. Richardson & F. D. G.*), Teapa (*Mrs. H. H. Smith*), Juchitan, Barrio, Chibuitan, Sta. Efigenia (*Sumichrast*<sup>18</sup>), Tabi in Yucatan (*F. D. G.*), Buctzotz and Peto (*G. F. Gaumer*), Merida in Yucatan (*Schott*<sup>16</sup>), Cozumel I. (*G. F. Gaumer*); BRITISH HONDURAS, Orange Walk (*G. F. Gaumer*), Belize (*Blancaneaux*); GUATEMALA<sup>34</sup> (*Constancia*<sup>21</sup>), Choctum, Coban, Tactic, Dueñas<sup>10</sup>, Escuintla, Patio Bolas, Retalhuleu (*O. S. & F. D. G.*), San Gerónimo (*R. Owen*<sup>12</sup>); HONDURAS, Omoa (*Leyland*<sup>6</sup>), San Pedro (*G. M. Whitely*<sup>11</sup>); NICARAGUA, Greytown (*Holland*<sup>14</sup>), S. Juan del Sur<sup>22</sup>, Sucuyá<sup>23</sup>, Los Sabalos<sup>24</sup> (*Nutting*); COSTA RICA (*Hoffmann*, v. *Frantz*<sup>13</sup>), San José (*Nutting*<sup>25</sup>), San José, Angostura (*Carmirol*<sup>15</sup>), Cartago (*Cooper*<sup>15</sup>); PANAMA, David (*Hicks*<sup>29</sup>), Castillo, Chitra, Bugaba, Calovevora (*Arcé*<sup>11</sup>), Lion Hill (*M'Lean*<sup>28 30</sup>).—SOUTH AMERICA from Colombia and Amazons valley<sup>1</sup> to South Brazil<sup>12</sup>.

The northern birds of this widely ranging species have hitherto been called *Myiozetetes texensis* as distinguished from the Brazilian *M. similis*, the distinction resting upon the darker upper surface and the redder margins to the wings of the southern form. Generally speaking these characters hold, but they are of very slight