

POLYCHRUS.

Polychrus, Cuvier, Règne Anim.

1. *Polychrus gutturosus*.

Polychrus gutturosus, Berthold, Abh. Ges. Wiss. Götting. iii. 1847, p. 5, t. 1. fig. 1.

Polychrus multicarinatus, Peters, MB. Berl. Ak. 1869, p. 786; Bocourt, Miss. Sc. Mex., Rept. p. 112, t. 17. figg. 8.

Hab. COSTA RICA (*Peters*).—COLOMBIA (*Berthold*).

CORYTHOPHANES.

Corythophanes, Boie.

An exclusively Central-American genus.

1. *Corythophanes cristatus*.

Agama cristata, Merr. Syst. Amphib. p. 50.

Corythophanes cristatus, Boie, Isis, 1827, p. —; Gravenhorst, Act. Ac. Leop. Carol. xvi. 1833, p. 938, t. 65. figg. 6–10; Dum. & Bibr. Erp. Gén. iv. p. 174; Dum. Arch. Mus. Hist. Nat. viii. 1856, p. 517, t. 20. fig. 1; Bocourt, Miss. Sc. Mex., Rept. p. 118; Cope, Journ. Ac. N. Sc. Phil. viii. pp. 124, 156.

Hab. GUATEMALA, Vera Paz, low forest (*Salvin & Godman*), Peten (*Morelet*); COSTA RICA (*Cope, Salvin*); PANAMA (*Cope*).

Not common in Guatemala (*Salvin*).

2. *Corythophanes percarinatus*.

Corythophanes percarinatus, Dum. Arch. Mus. viii. p. 518, t. 20. fig. 3; Bocourt, Miss. Sc. Mex., Rept. p. 120, t. 17. fig. 2.

Corythophanes cristatus, Salvin, Proc. Zool. Soc. 1860, p. 453.

Hab. GUATEMALA, Escuintla (*Morelet*), Lanquin (*Salvin*), Coban (*Bocourt*).—ECUADOR (*Fraser*).

3. *Corythophanes hernandesii*.

Quatapalcatl, Hernandez, Hist. Mex. ii. cap. xiii. p. 61.

Chamæleopsis hernandezii, Wieg. Isis, 1831, p. 298; Gravenhorst, Act. Ac. Leop. Carol. xvi. 1833, p. 944, t. 65. figg. 1–5; Wieg. Herp. Mex. pp. 15, 37, t. 6.

Corythophanes chamæleopsis, Dum. & Bibr. Erp. Gén. iv. p. 176; Sumichrast, Bibl. Univ. et Rev. Suiss. 1864, p. 58; Ann. & Mag. N. H. 1864, xiii. p. 505.

Corythophanes mexicanus, Bocourt, Miss. Sc. Mex., Rept. p. 122, t. 17. fig. 1.

Hab. MEXICO, Vera Cruz, Tehuantepec, Chiapas (*Sumichrast*), Orizaba (*Brit. Mus.*), Yucatan (*Brit. Mus.*).

In woods, especially oak-forests, among rocks. Feeding on insects.