

Extralimal are the following species:—

1. *Iguana acanthura*, Blainville, = *Cyclura acanthura*, Dum. & Bibr., = *Cyclura hemilopha*, Cope, Boulenger, = *Ctenosaura acanthura*, Bocourt (Miss. Sc. Mex., Rept. p. 138), = *Ctenosaura interrupta*, Bocourt (Le Naturaliste, 1882, p. 47).—Lower California.

2. *Ctenosaura erythromelas*, Boul. Proc. Zool. Soc. 1886, p. 241, t. 23; *Cachryx erythromelas*, Cope, Proc. U.S. Nat. Mus. 1886, p. 437.—Probably Lower California.

CROTAPHYTUS.

Crotaphytus, Holbrook, N. Amer. Herpet. ii. p. 79.

1. *Crotaphytus wislizenii*.

Crotaphytus wislizenii, Baird & Girard, Proc. Ac. N. Sc. Phil. vi. p. 69; and in Stansbury's Exped. Great Salt Lake, p. 340, t. 3; and U.S. & Mex. Bound. Survey, Rept. p. 7, t. 31; Bocourt, Miss. Sc. Mex., Rept. p. 155, t. 17 bis. figg. 4, 4 a; Boul. Cat. Liz. ii. p. 204.

Crotaphytus gambelii, Baird & Girard, Proc. Ac. N. Sc. Phil. vi. p. 126.

Crotaphytus fasciatus, Hallow. Proc. Ac. N. Sc. Phil. vi. p. 207; and in Sitgreave's Expedit. Zuni and Colorado R. p. 115, t. 5.

Hab. NORTH AMERICA, Oregon, California, New Mexico, Arizona and Texas.—MEXICO, Sonora.

2. *Crotaphytus collaris*.

Agama collaris, Say in Long's Exped. Rocky Mount. ii. p. 252; Harlan, Med. Phys. Res. p. 142, t. 1. fig. 4.

Crotaphytus collaris, Holbr. N. Amer. Herpet. ii. p. 79, t. 10; Cope, Proc. Ac. N. Sc. Phil. xviii. p. 302; Bocourt, Miss. Sc. Mex., Rept. p. 154, t. 17 bis. figg. 5, 5 a, 6, 6 a; Yarrow, Check-list N. Amer. Rept. p. 52; Boul. Cat. Liz. ii. p. 203.

Hab. NORTH AMERICA, Southern and South-western States.—MEXICO, Chihuahua, Nuevo Leon, Western Sonora, Sta. Catarina (*U.S. Nat. Mus.*).

HOLBROOKIA.

Holbrookia, Girard, Proc. Am. Assoc. Adv. Sci. iv. p. 201 (1851).

Cophosaurus, Troschel in Wieg. Arch. f. Naturg. 1850, p. 389 (publ. 1852).

1. *Holbrookia texana*.

Cophosaurus texanus, Troschel, Wieg. Arch. f. Naturg. 1850 (publ. 1852), p. 389, t. 6.

Holbrookia texana, Baird & Gir. Proc. Ac. N. Sc. Phil. vi. p. 125; and in U.S. & Mex. Bound. Surv., Rept. p. 8, t. 30; Cope, Proc. Am. Phil. Soc. xxii. 1885, p. 169; Yarrow, Check-list N. Amer. Rept. p. 50; Boul. Cat. Liz. ii. p. 208.

Holbrookia affinis, Baird & Gir. Proc. Ac. N. Sc. Phil. vi. p. 125; and in U.S. & Mex. Bound. Surv., Rept. p. 8.

Hab. NORTH AMERICA, Texas to California.—MEXICO, N. Sonora (*Clark*), Alamos, Casta-neulas (*Couch, U.S. Nat. Mus.*), Monterey, Nuevo Leon (*Couch, Cope*).