

olive, with fine but obscure marbling; sides sometimes more distinctly marbled with brown, black, and white; sides of the head not spotted; concealed surfaces of the limbs not spotted. Lower parts whitish.

	♀.	♀.
Width of head	14 millim.	13.5 millim.
Distance of vent from snout	37 „	37 „
„ „ heel	38 „	36 „
„ „ metatarsal joint	51 „	46 „
„ „ end of fourth toe	64 „	61 „

Two specimens from La Palma, Costa Rica, seem to me to belong to the same species, although they differ in two of the technical characters. The tympanum is conspicuously larger, about one-half the area of the eye, and the web between the fingers a little broader. Otherwise the agreement as regards general habit and proportion and coloration is so striking that I must hesitate to describe this as a distinct species.

22. *Hyla uranochroa*. (Tab. LXX. fig. D.)

Hyla uranochroa, Cope, Journ. Ac. N. Sc. Philad. viii. p. 103, t. 27. fig. 4 (bad) (1878); Bouleng. Batr. Sal. p. 377.

Hab. COSTA RICA, Rio Sucio (*Rogers*), La Palma, alt. 1600 metres (*Tristan and Underwood*), Sipurio (*Cope*).

Vomerine teeth in two transverse groups, between the rather narrow choanæ. Snout short, depressed, with canthus and rather sloping sides. Distance of nostril from the eye equal to the diameter of the latter. Interorbital space wider than the upper eyelid. Tympanum distinct, one-half the area of the eye. Fingers one-third webbed, with disks which are rather larger than those of the toes, but smaller than the tympanum; no external rudiment of pollex. Toes three-fourths webbed; no tarsal fold. Upper parts smooth, abdomen granular; no folds or appendages. Uniform purplish-blue above (?green in life), white below; a narrow, sharply defined, yellowish line runs round the edge of the upper lip, slightly dilated below, and touching, the eye; the line is continued above the shoulder along the side, where it forms a sharp boundary between the colours of the upper and lower parts. Metatarsus and outer toe with a yellow edge; a cross-line above, and tubercles round, the vent yellow. Concealed surfaces of thigh uncoloured.

	♀.
Greatest width of head	10 millim.
Distance of vent from snout	32 „
„ „ heel	30.5 „
„ „ metatarsal joint	40 „
„ „ end of fourth toe	50 „

This species has the peculiar coloration of *Hyla carolinensis*, which it represents in