

COMPARATIVE TABLE OF THE SPECIES OF *HELICINA*.

	Figura.	Color.	Sculptura.	Basis columellæ.	Peristoma.	Diam.	Alt.	Apert.	Patria.
<i>amena</i> , Pfr. ....	trochiformis, obtuse angulata.	e luteo et roseo varius.	striis impressis spiralibus distantibus; subtilissime descendenti-lineolata.	subarcuata, tuberculo prominulo.	breviter expansum, album.	mm. 12 17	mm. 8½ 11	mm. 7 8	(Yucatan), Guatemala, Honduras, Nicaragua, Chiriqui.
<i>ghiesbreghtii</i> , Pfr. ....	depressa trochiformis, acute carinata.	flavidus, carina et sutura alba.	"	subperpendicularis, tuberculo prominente.	reflexum, ad carinam dilatatum, album.	16 19	12	9	Central and S. Mexico, Guatemala.
<i>rhynchostoma</i> , Pfr. ....	trochiformi-lenticularis, distincte carinata.	rufo-fuscus, carina alba.	subaevis, striatula, exilissime descendenti-lineolata.	perpendicularis, obtuse angulata.	reflexum, album, <i>ad carinam productum</i> .	8	7	5	Honduras.
<i>cinctella</i> , <i>Shutt.</i> .....	trochiformis, basi convexa, carinata.	albus vel flavescens, plerumque fusco-unifasciatus.	subtiliter spiratim lineata.	subarcuata, non prominens, impressione linearis.	breviter reflexum, album.	11 13	8½ 9	5 5½	E. Mexico.
—, var. <i>botteriana</i> , Pfr.	"	sulfureus.	"	"	callo vitellino.	14	9		E. Mexico.
<i>rostrata</i> , Morel. ....	conoideo-globosa.	albus, fusco-bifasciatus.	subaevis, subtilissime spiratim lineolata.	arcuata.	brevissime expansum, <i>extus mucronatum</i> .	13½ 16	10 12	6 7	Guatemala, Nicaragua.
<i>denticulata</i> , Pfr. ....	globoso-conica.	albus, flavo-fasciatus.	rugis antroisum descendens; dentibus rarioribus; <i>sutura denticulata</i> .	arcuata, "dentata."	album, paulum expansum, extus mucronatum.	13	9	7	Honduras, Nicaragua.
{ <i>zephyrina</i> , <i>Duclos</i> ..... <i>turbinata</i> , <i>Wieg.</i> ..... }	conico-globosa, angulo evanescente.	albidus, fascia lata rufa.	subtiliter spiratim lineata.	subarcuata, obtuse prominula.	modice expansum, album.	13 16	11 13½	6 8	E. Mexico.
	conico-globosa, subangulata, supra angulum excavata?	albidus?	"	arcuata.	expansum.	12½	11	6	E. Mexico.
	"	"	"	"	"	10	8-9	5½	E. Mexico.
<i>deppeana</i> , v. <i>Mart.</i> .....	subdepressa conoidea, obtuse subangulata.	subcarneus unicolor vel albidus aspersus.	vix conspicue spiratim lineolata.	subperpendicularis, brevissima, tuberculo prominente.	incrassatum vix expansum, album.	14 14½	11 12	7 8	E. Mexico.
<i>corillera</i> , Pfr. ....	depressa globoso-conica, rotundata.	albidus, rubro-plurifasciatus.	"striatula."	in nodulum terminata.	incrassatum, expansum.	12½ 11½	10 9	7 6	E. Mexico.
<i>funcki</i> , Pfr. ....	conico-subglobosa, obsolete angulata.	flavidus, roseo-nubulosus.	subtilissime oblique striatula.	subarcuata, linearis, impressa, subnodosa.	late expansum, superne subrepandum.	13½ 15	10 12	8½	Costa Rica (Colombia).