

Proserpina eolina, Pfr. Monogr. Helic. Vivent. iii. p. 290³.

Ceres eolina, Gray, P. Z. S. 1856, p. 102⁴; Pfr. P. Z. S. 1856, t. 35. figg. 23, 24⁶; Novit. Conch. i. p. 92, t. 25. figg. 1-3⁶.

Ceres eolina, Pfr. Monogr. Auric. Vivent. p. 168⁷.

Hab. E. MEXICO: Mexico³ (*Férussac*²), State of Vera Cruz (*Sallé*¹); Cerro de Plumas, near Cordova (*Höge*).

2. *Proserpina* (*Ceres*) *sallæana*.

Ceres sallæana, Gray, P. Z. S. 1856, pp. 100, 102 (woodcut of the radula)¹; Pfr. Monogr. Auric. Vivent. p. 168²; Monogr. Pneum. Vivent. iv. p. 295³.

Proserpina (*Ceres*) *sallæana*, Pfr. P. Z. S. 1856, p. 322, t. 35. figg. 21, 22⁴; Novit. Conch. i. p. 93, t. 25. figg. 4-6⁵.

Hab. E. MEXICO: Cordova, State of Vera Cruz, in dense woods under leaves (*Sallé*^{1 2 3 4}); Huatusco, barranca de Dos Puentes (*Mohr*³); Cerro de Plumas, with the preceding and in greater number (*Höge*).

Colour on the whole and disposition of the lamellæ quite the same as in the preceding; perhaps only a sexual difference.

Subgen. PROSERPINELLA, Bland.

Proserpinella, Bland, Ann. Lyc. N. York, viii. p. 157 (1865).

3. *Proserpina* (*Proserpinella*) *berendti*.

Proserpinella berendti, Bland, in Ann. Lyc. N. York, viii. p. 157, fig. 2 (1865)¹; Strebel, Abhandl. Geb. Naturw. Ver. Hamb. vi. 1, p. 11, t. 4. fig. 5²; Pfr. Monogr. Pneum. Vivent. iv. p. 297³.

Hab. E. MEXICO: Mirador, Atlantic slope, 3000 to 4000 feet (*Berendt*^{1 3}, *Strebel*²).

GASTROPODA PULMONATA MONOICA.

Sexes united. No operculum.

STYLOMMATOPHORA.

Two pairs of feelers, the eyes on the tip of the upper ones.

Fam. AGNATHA.

No jaw. Teeth of the radula aculeiform, in oblique rows, median tooth very small or absent.