

- b*⁵. Femur iv. armed with one or more series of specialized denticles.
- a*⁶. The series of denticles extending to the base of femur iv.
- a*⁷. Femur iv. armed with an inner inferior series of about 10-15 short denticles, which are not longer than the width of the segment, and also with an external series of 4 short denticles in the apical third or of 12 short denticles in the basal two thirds. Size smaller, length 5 millim.
- a*⁸. The inferior series of denticles sinuous. The external series of about 12 denticles occupying the basal two thirds *sinuosus*, sp. n.
- b*⁸. The inferior series of denticles straight. The external series of 4 denticles occupying the apical third *simplicipes*, sp. n.
- b*⁷. Femur iv. armed with an outer inferior series of about 14 short coalescent denticles, which are not longer than the width of the segment, and also with a short inner inferior series of 5 separate denticles on the basal third. Size larger, length 7 millim. *subserialis*, sp. n.
- b*⁶. The series of denticles confined to the apical half; two series of 10-11 *cristatus*, sp. n.
- b*. Tarsus iv. with 9 segments *crassescens*, sp. n.
- B. Tarsus iii. with 8 segments.
- a*⁹. Tarsus iv. with 8 segments. Femur iv. with a dorsal series, but without an external lateral series of denticles. The inferior series straight *serratipes*, sp. n.
- b*⁹. Tarsus iv. with 9 segments.
- a*¹⁰. Eyes nearer together; eye-tumulus not more than one-third longer, transversely, than broad. Femur iv. with a series of very fine denticles on each side in the apical third (or half) . . . *triangularis*, sp. n.
- b*¹⁰. Eyes wider apart; eye-tumulus at least twice, often three times, longer, transversely, than broad. Femur iv. with one or more series of long denticles, not confined to the apical third.
- a*¹¹. Femur iv. with three series of long denticles confined to the middle of the segment *tricristatus*, sp. n.
- b*¹¹. Femur iv. with one or more series of long denticles not confined to the middle of the segment.
- a*¹². Femur iv. with a single inferior series of long denticles, and a dorsal irregular series of blunt tubercles *clavipes*, sp. n.
- b*¹². Femur iv. with two or three series of long denticles, the dorsal series also consisting of denticles.