

Gerónimo, Purula, Tactic, San Joaquin, Coban, Cahabon (*Champion*); NICARAGUA, Chontales (*Janson*); COSTA RICA (*Rogers*); PANAMA, Volcan de Chiriqui (*Champion*).

7. *Rhodocanthopus curtus*.

Brevius oblongus, elytris postice paullo dilatatis, subplanatus; clypeo medio obtuse inciso, tuberculo verticis parum elevato, tuberculis basalibus obtusis rotundatis; carinis frontalibus argutis, longe ante tuberculum mandibularem terminatis sed utrinque cum cantho oculari per carinas obtusas conjunctis; fronte ocellato-punctata; thorace quadrato, angulis anticis subrectis (apice obtusis), sulculo marginali intus dilatato et grosse punctato, lateribus (prope angulum) medio foveaque grosse punctatis; elytris profunde striatis, striis transversim punctatis, 5^a–9^m latioribus; metasterno medioplanato, postice utrinque area depressa grosse punctata; tibiis intermediis 2^a 3^aque spinosis et sparsissime ciliatis.

Long. 23 millim.; thorax long. 6½, lat. 8 millim.; elytra long. 13½ millim.

Hab. GUATEMALA, Mirandilla (*Champion*).

PTICHOPUS.

Ptichopus, Kaup, Monogr. der Passal. p. 96.

One of the very few well-marked generic forms in the American series of this family; distinguished from all others by the long pointed mandibles and the dilated anterior tibiæ. Only one species is known.

1. *Ptichopus angulatus*.

Passalus angulatus, Percheron, Monogr. des Passales, p. 84, t. 6. f. 5.

Passalus thoracicus, Smith, Cat. Brit. Mus. Passali, p. 15, t. 1. f. 3.

Ptichopus angulatus, Kaup, Monogr. p. 96¹.

Hab. MEXICO¹, Minas Viejas (*Dr. Palmer*), Presidio (*Forrer*), Jalapa (*Höge*), Orizaba, Guanajuato, Vera Cruz (*Sallé*); COSTA RICA (*Van Patten*); PANAMA, Bugaba (*Champion*).

EPIPHANUS.

Epiphanus, Kaup, Monogr. der Passal. p. 98.

Kaup includes five species in this genus, which is distributed over a large part of Tropical America, including the West Indies.

1. *Epiphanus binominatus*.

Passalus binominatus, Percheron, in Guérin's Mag. Zool. 1841, Ins. tt. 77–79.

Passalus occipitalis, Percheron, Monogr. p. 80, t. 6. f. 2 (nec Eschscholtz)¹.

Passalus erosus, Truqui, Rev. & Mag. Zool. 1857, p. 268².

Epiphanus binominatus, Kaup, Monogr. p. 98 (?)³.

Hab. ? MEXICO².—SOUTH AMERICA, Brazil³; WEST INDIES, Cuba¹.

Truqui includes this species in his paper on the Mexican *Passali*, but only on the BIOL. CENTR.-AMER., Coleopt., Vol. II. Pt. 2, May 1886.

DD