

16. **Phanæus adonis.** (Tab. IV. figg. 9, ♂; 9 a, side view of head and thorax.)

Phanæus adonis, Harold, Ann. Soc. Ent. Fr. 1863, p. 169¹.

Hab. MEXICO, Tuspan¹, Guanajuato (*Sallé*), Huanchinango (*Truqui*).

A fully-developed male example from Huanchinango is figured.

17. **Phanæus daphnis.** (Tab. IV. figg. 10, ♂; 10 a, side view of head and thorax.)

Phanæus daphnis, Harold, Ann. Soc. Ent. Fr. 1863, p. 166¹.

Von Harold described the fully-developed male only.

♂ minor. Cornu capitis breve. Thorax disco anteriore anguste concavo et sparsim scabroso utrinque medio tuberculo brevi oblique elongato.

♂ effeminatus. Cornu capitis brevissimum. Thorax prope marginem anteriorem concavus, parce granulatus, ante medium utrinque tuberculo subrotundato, plus quam dimidio posteriore convexo lævigato.

♀. Vertex carina recta tri-tuberculata. Thorax antice medio carina arcuata et pone carinam leviter concavus.

Hab. MEXICO¹, Cuernavaca, Izucar (*Sallé*, *Höge*), Oaxaca (*Sallé*), Jalapa, Plan del Rio (*Höge*).

Var. *cæruleus*. Spina mediana thoracis baseos apice truncata; elytris fere lævibus. (Harold, *l. c.* pp. 166–167.)

Var. *herbeus* (Sturm). Sicut in typo viridi-æneus; differt solum elytrorum interstitiis convexis.

A fully-developed male from Izucar is figured.

18. **Phanæus tridens.** (Tab. IV. figg. 11, ♂; 11 a, side view of head and thorax.)

Phanæus tridens, Casteln. Hist. Nat. Ins. Col. ii. p. 81¹; Harold, Ann. Soc. Ent. Fr. 1863, p. 167².

Hab. MEXICO¹, Vera Cruz², Orizaba, Mazatlan (*Sallé*), Ventanas, Plan del Rio, Cuernavaca, Almolonga, Jalapa (*Höge*).

We figure an example from Almolonga.

19. **Phanæus furiosus.** (Tab. IV. figg. 12, ♂; 12 a, side view of head and thorax.)

P. tridentis proxime affinis, coloribus minus resplendentibus, viridi-æneus vel saturate cæruleus, raro aurato-cupreus cornuque (♂) thoracis basali latissimo, supra planato, apice lato bidentato; differt autem (♂ ♀) elytrorum striis crenato-punctatis.

Long. 14–20 millim.

Hab. MEXICO, Sonora (*coll. Bates*), Pinos Altos in Chihuahua (*Buchan-Hepburn*), Guanajuato (*Sallé*), Ventanas (*Forrer*, *Höge*), Lagos in Aguas Calientes, Jalapa (*Höge*), Mexico city (*Dr. Palmer*).

I have adopted the name "*P. furiosus*, Dugès," given to the species in the Sallé collection. We figure a fully-developed male from Ventanas.