

positis, nigro-fuscis; elytris sat crebre, mediocriter striato-punctatis, sutura vittaque dorso inæquali, nigris, hac maculis nonnullis flavis, elevatis variegata, ramulum anticum et posticum concolorem in marginem emittente; humeris subprominulis, obtusis.—Long. 7, lat. 6 millim."

Hab. MEXICO^{2 3} (*Mus. Paris*¹).

We have not received an example of this insect. It is placed next to *C. zetterstedti* by Boheman.

21. **Coptocycla insubida.** (Tab. X. fig. 17, ♀.)

Coptocycla insubida, Boh. Monogr. Cassid. iii. p. 308¹, and iv. p. 444²; Cat. Col. Ins. Brit. Mus. ix. p. 180³.

Hab. PANAMA, Volcan de Chiriqui, David (*Champion*).—COLOMBIA¹⁻³; VENEZUELA.

Found at David in company with *C. signifera*, from which it chiefly differs in having an additional ferruginous or black fascia extending across the elytral margins beyond the middle.

22. **Coptocycla sallæi.** (Tab. X. fig. 18, ♀.)

Coptocycla sallæi, Boh. Monogr. Cassid. iv. p. 444¹.

Hab. MEXICO, San Andres Tuxtla, Playa Vicente (*Sallé*), Cordova (*Sallé*, *Höge*), Misantla (*Höge*), Atoyac and Fortin in Vera Cruz (*H. H. Smith*), Teapa in Tabasco (*Höge*, *H. H. Smith*); GUATEMALA, San Isidro and Zapote (*Champion*).

Closely resembling *C. zetterstedti*, and only differing from it in having the posterior fascia on the elytral margins obliterated. The third joint of the antennæ is very elongate, fully twice as long as the second. A female specimen from Cordova is figured.

23. **Coptocycla signifera.** (Tab. X. figg. 19, ♀; 20, ♀, var. *trabeata*; 21, ♂, var. *immunda*.)

Cassida cruciata (Linn.), var.?, Degeer, Mém. des Ins. iv. p. 187 (excl. fig.) (1775)¹.

Cassida signifer, Herbst, Käfer, viii. p. 313, t. 135. fig. 9 (1799)².

Coptocycla guttata, Boh. Monogr. Cassid. iii. p. 314³, and iv. p. 445⁴; Cat. Col. Ins. Brit. Mus. ix. p. 181⁵; Crotch, Proc. Acad. Phil. 1873, p. 78⁶ (nec Oliv.).

Coptocycla hamulata, Boh. Monogr. Cassid. iii. p. 316⁷, and iv. p. 445⁸; Cat. Col. Ins. Brit. Mus. ix. p. 181⁹.

Hab. NORTH AMERICA, Canada, Delaware, North Carolina, and New Orleans^{4 5}, Pennsylvania¹, Atlantic region⁶.—MEXICO, Misantla in Vera Cruz, Tapachula in Chiapas (*Höge*), Istapan, Playa Vicente, San Andres Tuxtla, Cordova (*Sallé*), Atoyac in Vera Cruz (*H. H. Smith*), Vera Cruz (*Sallé*, *H. H. Smith*), Teapa in Tabasco (*Sallé*, *Höge*, *H. H. Smith*), Temax in North Yucatan (*Gaumer*), Yucatan^{4 5} (*Chevrolat*³); BRITISH HONDURAS, R. Hondo (*Blancaneaux*); GUATEMALA, Las Mercedes, Zapote,