

108. **Sphærophthalma ariadne.***Sphærophthalma ariadne*, Blake, Trans. Am. Ent. Soc. xiii. p. 235, fig. (♀) ¹.*Hab.* MEXICO (*Sumichrast* ¹).109. **Sphærophthalma formosa.***Sphærophthalma formosa*, Blake, Trans. Am. Ent. Soc. xiii. p. 236, fig. (♀) ¹.*Hab.* MEXICO (*Sumichrast* ¹).110. **Sphærophthalma solola.***Sphærophthalma solola*, Blake, Trans. Am. Ent. Soc. xiii. p. 236 ¹.*Hab.* GUATEMALA (*Sumichrast* ¹).111. **Sphærophthalma batopilas.***Sphærophthalma batopilas*, Blake, Trans. Am. Ent. Soc. xiii. p. 188 ¹.*Sphærophthalma batopilus*, Blake, loc. cit. p. 237 ² *.*Hab.* MEXICO (*Sumichrast* ²).112. **Sphærophthalma altamira.***Sphærophthalma altamira*, Blake, Trans. Am. Ent. Soc. xiii. p. 237 ¹.*Hab.* MEXICO (*Sumichrast* ¹).113. **Sphærophthalma xalisco.***Sphærophthalma xalisco*, Blake, Trans. Am. Ent. Soc. xiii. p. 237, fig. (♀) ¹.*Hab.* MEXICO (*Sumichrast* ¹).114. **Sphærophthalma megacantha.***Sphærophthalma megacantha*, Cocker. & Casad, Ent. News, v. p. 294 (Nov. 1894) ¹.*Hab.* MEXICO, Guanajuato (*Dugès* ¹).115. **Sphærophthalma dugesi.***Sphærophthalma dugesi*, Cocker. & Casad, Ent. News, v. p. 294 ¹.*Hab.* MEXICO, Guanajuato (*Dugès* ¹).Appears to be nearly related to *S. sumichrasti*.

The following are the undescribed males of this section:—

116. **Sphærophthalma personata.**Nigra; abdomine ferrugineo, basi nigro; capite et thorace longe albo-hirtis; alis fusco-violaceis. ♂.
Long. 9 millim.*Hab.* MEXICO, Jalisco (*Schumann*).

* The specific names used by Blake are probably intended for "Batopilas," a place in Chihuahua.