

Atoyac, Teapa (*H. H. Smith*); GUATEMALA, Panzos, Zapote, Volcan de Atitlan (*Champion*); COSTA RICA, Santa Clara Valley (*Zurcher*); PANAMA, Bugaba (*Champion*).

Eueides lineata (I. p. 163).

To the localities given, add:—MEXICO, Cuesta de Misantla (*Trujillo*).

Eueides lybioides (I. p. 164).

To the localities given, add:—PANAMA, Bugaba, San Feliz (*Champion*), Veraguas (*Arcé*).

Sent us in abundance from Bugaba.

Eueides zorcaon (I. p. 165).

To the localities given, add:—MEXICO, Tampico (*Richardson*), Teapa (*H. H. Smith*); GUATEMALA, Purula, Cahabon, Chiacam (*Champion*); HONDURAS, San Pedro Sula (*Wittkugel*); NICARAGUA, Matagalpa (*Richardson*); PANAMA, Bugaba (*Champion*).

METAMORPHA (I. p. 166).

Metamorpha dido (I. p. 166).

Colænis dido, Staud. Exot. Schmett. p. 86, t. 34⁵.

To the localities given, add:—PANAMA, Bugaba (*Champion*), Chiriqui⁵.

COLÆNIS (I. p. 167).

Colænis phærusa (I. p. 167).

To the localities given, add:—MEXICO, Omealca, Cuesta de Misantla (*Trujillo*), Atoyac (*H. H. Smith*); GUATEMALA, Volcan de Atitlan (*Champion*); HONDURAS, San Pedro Sula (*Wittkugel*); COSTA RICA, Santa Clara Valley (*Zurcher*).

Colænis delila (I. p. 168).

To the localities given, add:—MEXICO, Tres Marias Is. (*Forrer*), La Venta in Guerrero, Atoyac, Teapa (*H. H. Smith*), Jalapa (*F. D. G.*), Orizaba (*Elwes*); GUATEMALA, Volcan de Santa Maria (*Richardson*), Chacoj, Telemán (*Champion*); NICARAGUA, Matagalpa (*Richardson*); PANAMA, Bugaba, Tolé (*Champion*).

AGRAULIS (I. p. 169).

Agraulis junio (I. p. 170).

To the localities given, add:—GUATEMALA, Volcan de Santa Maria (*Richardson*), San Isidro (*Champion*); NICARAGUA, Matagalpa (*Richardson*); COSTA RICA, Santa Clara Valley (*Zurcher*); PANAMA, Bugaba (*Champion*).—ANTILLES, St. Vincent, Grenada.