

Anæa herbacea (I. p. 347).

To the locality given, add:—MEXICO, Orizaba (*coll. Schaus*).

We have seen a male of this species from Mexico in Mr. Schaus's collection agreeing with the Costa Rican types.

Anæa proserpina (I. p. 348). (Tab. XXXIII. figg. 7, 8, ♂; 9, 10, ♀.)

The reference to our figures of this species was omitted on p. 348.

Anæa laura (I. p. 348).

Anæa laura, Honrath, Berl. ent. Zeitschr. 1889, p. 167 (♀) ⁴.

We now have a male of this species, given us by Wheeler, captured in the interior of Colombia.

23 (A). **Anæa elara**. (Tab. CIX. figg. 11, 12, ♂.)

Anæa elara, Godm. & Salv. Trans. Ent. Soc. 1897, p. 244 ¹.

Alis ecaudatis, cyaneo-nigris; anticis fascia subapicali arcuata venis quadripartita viridi-cyanea; posticis unicoloribus ad marginem externum squamis viridi-cyaneis atomatis: subtus læte castaneis albo irroratis, marginibus externis immaculatis, posticis macula parva ad medium marginis costalis.

♀ major, alis ad basin viridi-cyaneo lavatis, anticis fascia subapicali latiore et fere ad angulum analem extensa, posticis caudatis.

Hab. COSTA RICA (*mus. Staudinger* ¹).

This species is allied to *A. proserpina*, Salvin, and *A. ambrosia*, Druce, having the underside of the former and the upperside somewhat like that of the latter.

Dr. Staudinger has sent us a male and female—the former in good condition, but the latter has lost the tails of the hind wings.

Anæa forreri (I. p. 350).

To the localities given, add:—MEXICO, Coatepec (*Brooks*); GUATEMALA, Volcan de Santa Maria (*Richardson*).

We now possess both sexes of this species from Coatepec, the female being very like the type (male) from Presidio, except that it has a spatulate tail to the secondaries; the male from Coatepec closely resembles the second example of that sex we have already mentioned. The eight males sent us by Mr. Richardson from the Pacific slope of Guatemala agree with these latter, except in having the base of the wings of a greenish hue.

Anæa orthesia (I. p. 351). (Tab. XXXVI. figg. 5, 6, ♂; 7, 8, ♀*.)

To the localities given, add:—MEXICO, Teapa (*H. H. Smith*).

Mr. Smith has sent us a single female of this species.

* By mistake, *antea*, i. p. 351, the figures of *A. onophis*, ♀ (Tab. XXXIV. figg. 11, 12), were quoted for *A. orthesia*.