

## LEMONIAS (I. p. 457).

**Lemonias lilina** (I. p. 459).

To the localities given, add:—MEXICO, Atoyac (*Schumann*), Jalapa (*coll. Schaus*).

We are now able to confirm the Mexican habitat of *L. lilina*, about which we expressed some doubts when previously dealing with this species.

2 (A). **Lemonias idmon**. (Tab. CX. figg. 15, 16, ♂; 17, 18, ♀.)

*Lemonias idmon*, Godm. & Salv. Ann. & Mag. Nat. Hist. (6) iii. p. 357 (♂ ♀) (1889)<sup>1</sup>.

Alis ferrugineis ad basin paullo fuscescentioribus et nigro maculatis: subtus canescentibus ad margines externos et anticis ad costam magis fuscis; maculis nigris sicut in pagina superiore, sed maculis singulis albo cinctis; maculis submarginalibus quoque nigris albo cinctis, eis venæ medianæ posticarum utrinque obsoletis.

♀ mari similis, sed alis fuscescentibus ferrugineo vix tinctis.

*Hab.* PANAMA, Chiriqui (*Trötsch, in mus. Staudinger*<sup>1</sup>).

From Dr. Staudinger we have a male and female of this species, which is allied to *L. galena*, Bates, but the wings of the male are less ferruginous above, and beneath there is no submarginal rufous band to the secondaries; the submarginal spots also on these wings are more irregular, those on either side of the median vein being obsolete.

3 (A). **Lemonias eudocia**. (Tab. CX. figg. 19, 20.)

*Lemonias eudocia*, Godm. & Salv. Trans. Ent. Soc. 1897, p. 244<sup>1</sup>.

Alis saturate fuscis undique nigro maculatis, maculis singulis saturate ochraceo indistincte limbatis, ciliis fuscis irregulariter albo interruptis: subtus omnino pallidioribus, maculis omnibus nigris albo cinctis.

*Hab.* MEXICO, Colima (*mus. Staudinger*<sup>1</sup>).

A small insect belonging to the section represented in Central America by *L. glauca* and *L. densemaculata*. From the former it differs in having the wings dark fuscous (instead of bluish grey), and from the latter in the more obscure coloration, the black spots being less apparent. The single specimen sent us by Dr. Staudinger is probably, judging from the shape of the wings, a female.

**Lemonias pelarge** (I. p. 461).

♀. *L. parthaonti*, Dalm. (*ancile*, Hew.), similis, sed anticis plaga aurantia ad angulum analem magna; posticis colore ochraceo magis extenso.

To the localities given, add:—MEXICO, Atoyac (*H. H. Smith*).

Mr. Smith has sent us a female of this species from Eastern Mexico. It is very like the same sex of *L. parthaon* (figured by Hewitson under the name of *L. ancile*), but differs as noted above.