

PROCRIS.

Procris, Fabricius, Illiger's Magazine, vi. p. 289.

Walker in his 'Catalogue' places about twenty species in this genus, which appears to be very widely distributed. He only mentions one species from the Neotropical Region.

1. ***Procris pusilla*.**

Procris pusilla, Walk. Cat. i. p. 112¹; Butl. Ill. Lep. Het. i. p. 14, t. 6. f. 1.

Hab. PANAMA, Volcan de Chiriqui (*Champion*).—VENEZUELA¹.

I have only received one specimen of this insect which it agrees fairly well with the type in the British Museum.

2. ***Procris thyana*, sp. n.** (Tab. VI. fig. 7.)

Primaries and secondaries semitransparent black, with the costal and outer margins rather darker: the head, antennæ, and legs black; thorax and abdomen slightly glossy greenish black. Expanse $\frac{3}{4}$ inch.

Hab. GUATEMALA, Quiche Mountains 9000 feet (*Champion*).

Two specimens of this species were obtained by Mr. Champion. The specimen figured I believe to be the male. The female is rather larger and paler in colour.

3. ***Procris forreri*, sp. n.**

Primaries and secondaries uniform semitransparent sooty black: head, antennæ, thorax, and abdomen deep black; legs also black. Expanse $\frac{2}{3}$ inch.

Hab. MEXICO, Milpas 5900 feet (*Forrer*).

This species is nearly allied to the preceding, from which it chiefly differs in its much smaller size and rather narrower primaries. Three examples were obtained.

4. ***Procris thyesta*, sp. n.** (Tab. VI. fig. 6.)

Primaries and secondaries semitransparent black, the veins slightly greenish; antennæ and front of the head black; the back of the head and front half of the thorax dark chrome-yellow; abdomen and legs black. Expanse 1 inch.

Hab. GUATEMALA, Dueñas (*Champion*).

This species is most nearly allied to *P. thyana*.

TRIPROCRIS.

Tripocris, French, Papilio, iii. p. 191.

I have not found any other reference to the description of this genus, which I can only recognize from the species from Arizona, described by Mr. French as *T. martenii*.