

4. **Amycles strigosa**, sp. n. (Tab. VIII. fig. 3.)

Primaries brown, excepting at the apex and a central narrow semihyaline streak extending from the base to the outer margin; secondaries brownish black, slightly hyaline at the base: head, thorax, and abdomen dull black; antennæ and legs black, the former tipped with yellowish white. Expanse 1 inch.

Hab. GUATEMALA, Teleman (*Champion*).

This species closely resembles a black wasp from the same locality, and, like the other species of *Amycles*, it is found flying in the hottest sunshine.

5. **Amycles flavicollis**, sp. n. (Tab. VII. fig. 11.)

Primaries black, with a central hyaline streak from the base to beyond the middle; secondaries hyaline, the outer margin bordered with black: head, thorax, and abdomen black; collar bright yellow; antennæ slightly pectinated, black at the base, the tips white; legs black. Expanse $\frac{3}{4}$ inch.

Hab. GUATEMALA, Zapote, Panzos (*Champion*).

This small species is very distinct from any other, and it is with considerable hesitation that I have placed it in this genus. I have only a very few examples; but, as far as I can see, the neuration is the same as *Amycles postica*.

PSOLOPTERA.

Psoloptera, Butler, Journ. Linn. Soc., Zool. xii. p. 369 (1876).

This genus was founded by Mr. Butler upon Walker's *Euchromia thoracina*. It seems to me to be very closely allied to *Ichoria*. At present only two species are known, one of which occurs in our country.

1. **Psoloptera thoracina**.

Euchromia (Autochloris) thoracina, Walk. Cat. i. p. 243¹.

Psoloptera thoracina, Butl. Journ. Linn. Soc., Zool. xii. p. 369; Ill. Lep. Het. i. p. 24, t. 8. f. 6.

Hab. GUATEMALA (*Boucard, mus. D.*); PANAMA, Chiriqui and Bugaba (*Ribbe & Champion*).—AMAZONS, Ega¹; ECUADOR (*mus. D.*).

The specimens from our country agree well in all respects with the type. It appears to be a scarce insect; I have only received very few examples.

SAURITA.

Saurita, Herr.-Schäff. Samml. aussereur. Schmett. p. 23.

1. **Saurita cassandra**.

Sphinx cassandra, Linn. Syst. Nat. ii. p. 806. 41; Cr. Pap. Exot. iv. t. 394. f. G.

Glaucopis cassandra, Anon. Ins. Surinam, pt. 85; Hübn. Samml. exot. Schmett. t. 164. f. 1-4.

Euchromia cassandra, Walk. Cat. i. p. 236^{1 2}.

Saurita cassandra, Butl. Journ. Linn. Soc., Zool. xii. p. 370.

Hab. MEXICO, Cordova (*Rümeli*); COSTA RICA, Irazu (*Rogers*).—VENEZUELA¹; BRAZIL².