

ANTACHARA (to follow the genus *Tiracola*, I. p. 287).

Antachara, Walker, Cat. xv. p. 1740 (1858); Butler, Trans. Ent. Soc. Lond. 1890, p. 656.

1. ***Antachara* (?) *superba*.** (Tab. XCIV. fig. 6.)

Antachara (?) *superba*, Druce, Ann. & Mag. Nat. Hist. (6) xiii. p. 361 (1894)¹.

Male. Primaries pale pea-green, with three small V-shaped dark brown spots on the costal margin, the one near the middle larger than the others, a wide reddish-brown marking extending from the middle of the cell to the outer margin and apex, and a silvery-white line partly crossing the wing about the middle, the fringe reddish-brown; secondaries pearly-white, the marginal line and fringe pale brown, the inner margin clothed with fawn-coloured hairs: head, collar, and tegulæ pale pea-green; thorax, abdomen, and legs fawn-colour; antennæ and palpi dark brown.—*Female*. Very similar to the male, but not quite so distinctly marked. Expanse, ♂ $2\frac{1}{10}$, ♀ $2\frac{4}{10}$ inches.

Hab. COSTA RICA, Santa Clara Valley 1200 feet (*Zürcher*¹).—ECUADOR, Sarayacu¹.

Two males from Ecuador and a female from Costa Rica are all I have seen of this very distinct species.

LYCOPHOTIA (I. p. 287).

Lycophotia* (?) *grandimacula (I. p. 287).

To the localities given, add:—COSTA RICA, La Uruca, San José (*coll. Dognin*).

STIRIA (to follow the genus *Lycophotia*, I. p. 287).

Stiria, Grote, Bull. Buff. Soc. Nat. Sci. ii. p. 73 (1874).

1. ***Stiria rugifrons*.** (Tab. XCIV. fig. 9.)

Stiria rugifrons, Grote, Bull. Buff. Soc. Nat. Sci. ii. p. 73¹; Canad. Ent. xiv. p. 76², and xv. p. 74³.

Hab. NORTH AMERICA, Kansas and Colorado^{1 2 3}.—MEXICO, Durango city (*Becker*).

The Mexican specimen agrees with one from Colorado in my own collection.

TÆNIOCAMPA (I. p. 288).

3. ***Tæniocampa vellerea*.** (Tab. XCIV. fig. 8, ♀.)

Tæniocampa vellerea, Schaus, Trans. Am. Ent. Soc. xxi. p. 237 (1894)¹.

Hab. MEXICO, Jalapa (*coll. Schaus*¹; *M. Trujillo*); GUATEMALA, Las Mercedes (*Champion*); PANAMA, Volcan de Chiriqui (*Champion*).

We figure a female from Chiriqui.

4. ***Tæniocampa mulina*.**

Tæniocampa mulina, Schaus, Trans. Am. Ent. Soc. xxi. p. 237 (1894)¹.

Hab. MEXICO, Jalapa (*coll. Schaus*¹).

5. ***Tæniocampa contempta*.**

Tæniocampa contempta, Schaus, Trans. Am. Ent. Soc. xxi. p. 237 (1894)¹.

Hab. MEXICO, Jalapa (*coll. Schaus*¹).