

18. *Anacamptis ambusta*, sp. n. (Tab. I. fig. 33.)

Antennae greyish brown. *Palpi* white, the terminal joint with a greyish tinge. *Head* greyish brown; face whitish. *Thorax* brown, slightly streaked with hoary scales. *Forewings* dark brown, the basal portion much mottled with hoary white, forming a patch on the costa reaching to one-fourth; a white spot lies at the end of the cell and the dark brown ground-colour is somewhat abruptly terminated in a straight line across the wing from the commencement of the costal cilia, the apical portion being thence equally sprinkled with dark brown and hoary white, the latter forming a streak in the costal cilia; apical and terminal cilia at their base reddish brown, dark brown along their middle, and brownish cinereous at their outer ends. *Exp. al.* 10 mm. *Hindwings* dark greyish brown, cilia somewhat paler. *Abdomen* shining bronzy brown. *Legs*, the median pair with strong spreading white tufts at the ends of the tibiae, a black patch at the base of the tuft externally, the tarsi whitish beneath, coppery brown above; hind legs greyish externally, whitish on their inner sides, the tarsi and hinder ends of the tibia spotted with white.

Type ♂ (65706, *Teapa*) Mus. Wlsm. (*Godm-Salv. Coll.*). [*PTT.* (68755-6) US. Nat. Mus.]

Hab. AMERICA, C-S. Central America—MEXICO: TABASCO: *Teapa*, III. (*H. H. Smith*). South America—COLOMBIA: *Minca*, 2000 ft., VI. 1899 (*H. H. Smith*). Eight specimens.

This species was described from a single specimen from Mexico; the subsequent reception of a small series from Colombia extends the distribution.

19. *Anacamptis metadupa*, sp. n.

Antennae cinereous. *Palpi* very slender, rising high above the vertex, terminal joint longer than median; pale cinereous. *Head* and *Thorax* dull brownish cinereous. *Forewings* with olivaceous greenish and bronzy brownish reflections; a broad plumbeous band near the base, running obliquely outward from dorsum to costa, is narrowly reduplicated beyond; from the middle of the dorsum arises a similar plumbeous band, which, attaining the costa obliquely before the cilia, is margined on its inner side by a somewhat triangular brownish fuscous costal spot, and on its outer side by a dorsal shade of the same colour; a triangular patch enclosing the apex and termen, with a dark line running through the middle of the cinereous terminal cilia, is also dark brownish fuscous, and is margined on its inner side by a pale cinereous line. *Exp. al.* 11-12 mm. *Hindwings* dark chocolate-brown; cilia pale cinereous, with a dark line running through them near their base, and a dark fuscous fan-like flexal tuft of scales. *Abdomen* brownish fuscous, mixed with cinereous, a plumbeous band across the middle. *Legs* dark fuscous, with three conspicuous whitish bands around the tibiae, and two on the tarsi.

Type ♂ (65702) Mus. Wlsm. (*Godm-Salv. Coll.*). [*PT.* (65704) US. Nat. Mus.]

Hab. MEXICO: TABASCO: *Teapa*, III. (*H. H. Smith*). Three specimens.

20. *Anacamptis perinaeta*, sp. n.

Antennae dark stone-grey. *Palpi* with a slight brush on the median joint above; white. *Head* and *Thorax* dark stone-grey; face white. *Forewings* stone-grey to half their length, thence dark bronzy brown; on the basal half, in certain lights, a slight greenish iridescence is visible; on the outer half are several snow-white streaks, one forming an oblique costal spot beyond the middle, a second small straight triangular spot before the commencement of the costal cilia, and a third above the tornus, divided by a dark line into two longitudinal streaks; in addition to these is an oblique apical streak, reduplicated in the apical cilia, a small length-streak below the outer end of the fold, and a shorter diverging streaklet above it; cilia shining, pale aeneous, with a dark line along their base. *Exp. al.* 9 mm. *Hindwings* umber-brown; cilia slightly paler. *Abdomen* bronzy brownish. *Legs* dark brownish, with white annulations on the tarsal joints and on the extremities of the tibiae.

Type ♂ (65728) Mus. Wlsm. (*Godm-Salv. Coll.*). [*PT.* (65729) US. Nat. Mus.]