

S U P P L E M E N T.

THIS Supplement includes various corrections of synonymy, and additions to the list of genera and species of Tineina described or recorded from Central America after the pages dealing with the families to which they belong had been sent to press.—Dnt.

Fam. 1. LAVERNIDAE (pp. 1-18).

The family name *Lavernidae* was first published by Wocke in the 1871 edition of Staudinger's Catalog (pp. 318-21), and described in the concluding part of Heinemann's Schmetterlinge Deutschlands (1876), to include genera 480-92 (pp. 415-35). These genera are still associated together, in the same family, with *Cosmoptyx* Hb., which Wocke separated from the *Elachistidae* and for which he formed a new family, the *Cosmoptygidae* [Hein-Wk. Schm. Deutsch. Kleinschm. 2 520-3 (1876)]—cf. Busck, Smithson. Misc. Coll. 59 (4) 1-2 (1912).

URANGELA Busck.

Type: *Urangela pygmaea* Busck (Busck 1912).

URANGELA Busck, Smithson. Misc. Coll. 59 (4) 2-3 (1912).

1. *Urangela pygmaea* Busck.

Urangela pygmaea Busck, Smithson. Misc. Coll. 59 (4) 2-3 (1912)¹.

Type ♂ (14529) US. Nat. Mus.

Hab. PANAMA¹: Porto Bello (*A. Busck*)¹.

ERITARBES Wlsm. (p. 7).

2. *Eritarbes guttata* Busck.

Eritarbes guttata Busck Pr. US. Nat. Mus. 47 1 (1914)¹.

Type ♂ (16668) US. Nat. Mus.

Hab. PANAMA¹: Cabima and La Chorrera, V-VI. (*A. Busck*)¹.