

27. **Anacamptis dorsalis** Busck.*Anacamptis dorsalis* Busck Pr. US. Nat. Mus. 47 8 (1914)¹.

Type ♂ (15819) US. Nat. Mus.

Hab. PANAMA¹: Trinidad River, Porto Bello, and La Chorrera, IV-VI. (*A. Busck*)¹.28. **Anacamptis phytomiella** Busck.*Anacamptis phytomiella* Busck Pr. US. Nat. Mus. 47 8-9 (1914)¹.

Type ♂ (15820) US. Nat. Mus.

Hab. PANAMA¹: Alhajuela, Cabima, and Porto Bello, III-VI. (*A. Busck*)¹.29. **Anacamptis bistrigella** Busck.*Anacamptis bistrigella* Busck Pr. US. Nat. Mus. 47 9 (1914)¹.

Type ♂ (15822) US. Nat. Mus.

Hab. PANAMA¹: Alhajuela and Cabima, IV-V. (*A. Busck*)¹.30. **Anacamptis unistrigella** Busck.*Anacamptis unistrigella* Busck Pr. US. Nat. Mus. 47 9 (1914)¹.

Type ♂ (15821) US. Nat. Mus.

Hab. PANAMA¹: TABOGA I.¹: VI. (*A. Busck*)¹.31. **Anacamptis curtella** Busck.*Anacamptis curtella* Busck Pr. US. Nat. Mus. 47 10 (1914)¹.

Type ♂ (15823) US. Nat. Mus.

Hab. PANAMA¹: Trinidad River, VI. (*A. Busck*)¹.32. **Anacamptis terrenella** Busck.*Anacamptis terrenella* Busck Pr. US. Nat. Mus. 47 10 (1914)¹.

Type ♂ (16671) US. Nat. Mus.

Hab. PANAMA¹: Porto Bello, V. (*A. Busck*)¹.

LATHONTOGENUS Wlsm.

= *PARASPISTES* Meyr. (†*PARASPISTIS* Busck); = *LIPATIA* Busck.Type: *Gelechia palpigera* Wlsm. (= *adustipennis* Wlsm.; Wlsm. 1897: = *ioloncha* Meyr.; Meyr. 1905: = *crotolariella* Busck; Busck 1910).LATHONTOGENUS Wlsm. Pr. Z. Soc. Lond. 1897 87-8 no. 25 sp. 79 (1897). *PARASPISTES* Meyr. Jr. Bomb. NH. Soc. 16 600 (1905). "*LIPATIA* Busck Bull. Dp. Agr. Trinidad 9 243 (1910)."†*PARASPISTIS* Busck Pr. US. Nat. Mus. 47 10-11 (1914).