

16. **Cryptolechia analis** Busck.*Cryptolechia analis* Busck Pr. US. Nat. Mus. 47 30 (1914) ¹.

Type ♂ (16752) US. Nat. Mus.

Hab. PANAMA ¹: Porto Bello, IV. (*A. Busck*) ¹.17. **Cryptolechia notella** Busck.*Cryptolechia notella* Busck Pr. US. Nat. Mus. 47 30 (1914) ¹.

Type ♂ (16753) US. Nat. Mus.

Hab. PANAMA ¹: Trinidad River, III. (*A. Busck*) ¹.

TRYCHERODES Meyr.

= § *TERATOMORPHA* Wlsm. (*ante* pp. 127-8).Type: *Teratomorpha albifrons* Wlsm. (Wlsm. 1912; Meyr. 1914).TRYCHERODES Meyr. = § *TERATOMORPHA* Wlsm. Biol. C-Am. Ins. Lp-Het. 4 127-8 sp. 1-2 Pf. 4·18-19 (1912); Busck Pr. US. Nat. Mus. 47 31 (1914). TRYCHERODES (nn.) Meyr. Exot. Micr. 1 252 (X. 1914).[§ *Teratomorpha* Wlsm. is homonymous with **TERATOMORPHA** Trnr. (1896) *Lep.*, and Nicév. (1896) *Lep.*]1. **Trycherodes albifrons** Wlsm.*Teratomorpha albifrons* Wlsm. Biol. C-Am. Ins. Lp-Het. 4 127-8 Pf. 4·18 (1912).2. **Trycherodes producta** Wlsm.*Teratomorpha producta* Wlsm. Biol. C-Am. Ins. Lp-Het. 4 128 Pf. 4·19 (1912).3. **Trycherodes chilibrella** Busck.*Teratomorpha chilibrella* Busck Pr. US. Nat. Mus. 47 31 (1914) ¹.

Type ♂ (16754) US. Nat. Mus.

Hab. PANAMA ¹: Alhajuela, IV. (*A. Busck*) ¹.

PINARIS Hb. (pp. 375-6).

= AGONOPTERYX Hb. (*ante* pp. 135-6).Type 1: *Tinea laterella* S-D. (= *heraclella* Hb. 417 * *heraceliella* Hb. Verz. 3968—Wlsm. 1914).

PINARIS Hb. Ztr. Smlg. Exot. Schm. 3 14-15, [44], [45]. [47], no. 221 Pf. 76·441-2 (1825); Verz. Schm. 411 sp. 3961-72 (1826); Wlsm. Biol. C-Am. Ins. 4 375-6 (1914).

[nec * *PINARIS* Wlsm. Biol. C-Am. Ins. Lp-Het. 4 135 Type 2 (1912)—*arenella* S-D. (*vide* Type 7, p. 421).]Type 2: *Pyralis ocellana* F. (Wlsm. 1908).AGONOPTERYX Hb. (*ante* p. 135, Type 1).