

1. Second and third abdominal segments with discal and marginal macrochætæ 2.
Second and third abdominal segments only with marginal macrochætæ 12.
2. Tegulæ and base of the wings brown 3.
Tegulæ whitish; wings not infuscated at the base 5.
3. Arista thickened to beyond the proximal half; middle tibiæ outwardly with from two to four long bristles *tenebricosa*, v. d. Wulp.
Arista thickened for less than the proximal half; middle tibiæ outwardly and inwardly with a single long bristle 4.
4. Hind tibiæ outwardly fringe-like with bristles *nigrita*, v. d. Wulp.
Hind tibiæ outwardly with bristles of unequal length *carbonaria*, v. d. Wulp.
5. Thorax unicolorous black, without stripes 6.
Thorax cinereous or greyish, with more or less conspicuous black stripes 7.
6. Front and face laterally fulvous *parvula*, v. d. Wulp.
Front and face black, opaque *atriceps*, v. d. Wulp.
7. Abdomen elongate-conical; first segment (seen from above) as long as the second; (proboscis rufous) *rufilabris*, v. d. Wulp.
Abdomen ovate; first segment (seen from above) shorter than the second 8.
8. Palpi black; anal segment ochraceous *xanthura*, v. d. Wulp.
Palpi rufous; anal segment black, with more or less extended white or grey portions 9.
9. The frontal bristles accompanied externally by some weak black hairs 10.
The frontal bristles unaccompanied by hairs externally 11.
10. Eyes not descending to the vibrissæ *fulviceps*, v. d. Wulp.
Eyes descending to the vibrissæ *nigrifrons*, v. d. Wulp.
11. Abdomen grey, with the hind borders of the segments black *cinerea*, v. d. Wulp.
Abdomen black, with whitish tomentum on the second and third segments *cylindrata*, v. d. Wulp.
12. Abdomen shining black, nearly unicolorous *immaculata*, v. d. Wulp.
Abdomen with grey or whitish portions 13.
13. Anal segment ochraceous *flavicauda*, v. d. Wulp.
Anal segment grey or black 14.
14. Palpi black *muscaria*, v. d. Wulp.
Palpi rufous 15.
15. Third vein with a row of short bristles reaching to near the small cross-vein 16.
Third vein without bristles or only some bristles at the base 17.
16. Wings with a dilute brownish tint along the veins; third vein slightly curved before its end *sobrina*, v. d. Wulp.
Wings without any brownish tint; third vein nearly straight *setigera*, v. d. Wulp.