

The specimen figured is from Guatemala. I have not seen typical forms of this species, but have found so many strong resemblances to Stål's description, that I have not hesitated to identify it with the same.

7. **Euschistus comptus.** (Tab. VI. fig. 11.)

Euschistus comptus, Walk. Cat. Het. iii. p. 550¹; Stål, En. Hem. ii. p. 28. 31².

Hab. MEXICO², Oaxaca; GUATEMALA, San Gerónimo (*Champion*).

Stål identified his specimens, with doubt, as the above; but having had an opportunity of comparing one of them from the Stockholm Museum with Walker's type, I have found both to be strictly identical. The specimen figured is in the Stockholm Museum.

8. **Euschistus lineatus.** (Tab. VI. fig. 12.)

Euschistus lineatus, Walk. Cat. Het. ii. p. 245. 14¹.

Hab. MEXICO, Vera Cruz¹.

The figure is from the type in the British Museum.

9. **Euschistus strenuus.** (Tab. V. fig. 16.)

Euschistus strenuus, Stål, Stett. ent. Zeit. xxiii. p. 100. 62¹; En. Hem. ii. p. 28. 40.

Hab. Mexico¹ (*Bilimek, Mus. Vind. Cæs.*).

The type, figured, is now in the collection of Dr. Signoret.

10. **Euschistus biformis.** (Tab. V. fig. 15.)

Euschistus biformis, Stål, Stett. ent. Zeit. xxiii. p. 100. 61¹; En. Hem. ii. p. 28. 32².

Hab. MEXICO^{1 2}; GUATEMALA, San Gerónimo (*Champion*); COSTA RICA, Irazu (*Rogers*).

I possess a black variety of this species, which some time since I communicated to the late Prof. Stål. He had seen no such variety before, and remarked, with truth, "There exists probably no black species of *Euschistus*, as in general typically black *Pentatomæ* are very scarce." I have figured here a similar variety of *Euschistus tristigmus*.

B. *Anterior lateral borders of pronotum not denticulated or crenulated.*

11. **Euschistus integer.** (Tab. VII. fig. 5.)

Euschistus integer, Stål, En. Hem. ii. p. 28. 33¹.

Hab. MEXICO¹.

The figure is from the type in the Stockholm Museum, kindly made and transmitted to me by Prof. Lindström.