

DORACHOSA (to follow the genus *Tibicen*, p. 18).

Dorachosa, Distant, Ann. & Mag. Nat. Hist. (6) x. p. 63 (1892).

1. **Dorachosa explicata.** (Tab. VI. figg. 14, 14 *a*, *b*.)

Dorachosa explicata, Dist. Ann. & Mag. Nat. Hist. (6) x. p. 64¹.

Hab. PANAMA, Matachin (*coll. Dist.*¹).

Fam. FULGORIDÆ (p. 21).

FULGORINÆ (p. 22).

PHRICTUS (p. 23).

3. **Phrictus serratus.**

Fulgora serrata, Fabr. Sp. Ins. ii. p. 313. 2¹; Mant. Ins. ii. p. 260. 2²; Ent. Syst. iv. p. 2. 2³; Syst. Rhyn. p. 2. 2⁴; Seba, Mus. iv. t. 77. figg. 5, 6⁵; Lindenberg, Naturf. xiii. p. 19, t. 3. figg. 1, 2⁶; Oliv. Enc. Méth. vi. pp. 563, 567. 2, t. 109. fig. 1⁷; Stoll, Cic. p. 170, t. 29. fig. 170⁸; Gmel. ed. Syst. Nat. i. 4, p. 2089. 10⁹; Germ. in Thon's Arch. ii. p. 2, fig. 46. 4¹⁰; Burm. Handb. Ent. ii. 1, p. 169. 3¹¹; Westw. Trans. Linn. Soc. xviii. p. 147. 23¹².

Pyrops serratus, Spin. Ann. Soc. Ent. Fr. viii. p. 235. 2¹³.

Phrictus serratus, Walk. List Hom. Ins. ii. p. 264. 3¹⁴.

Hab. COSTA RICA, Guaitil de Puris, Pacific slope (*Biolley, in coll. Dist.*).—BRAZIL¹⁴.

AMYCLE (p. 25).

Amycle amabilis (p. 26).

To the locality given, add:—GUATEMALA, Aceituno, Guatemala city (*Salvin, in Mus. Brit.*).

HYPÆPA (p. 33).

4. **Hypæpa diversa.** (Tab. VI. figg. 18, 18 *a*.)

Hypæpa diversa, Dist. Ann. & Mag. Nat. Hist. (7) iv. p. 113¹.

Hab. COSTA RICA, Las Delicias, Santa Clara (*Biolley, in coll. Dist.*¹).

ATALANTA (p. 36).

Atalanta auricoma (p. 36).

To the localities given, add:—BRITISH HONDURAS, Cayo (*Blancaneaux*).

M. Blancaneaux has recently sent us three specimens of this remarkable insect from the interior of British Honduras.

DICTYOPHARINÆ (p. 38).

The descriptions of the following species have been handed to us by Canon Fowler, and are published by his authority and in his name:—