

*Hab.* MEXICO<sup>1</sup> (*Mus. Holm.*; *coll. Signoret*; *Sallé*), Cuernavaca in Morelos (*H. H. Smith*).

This species is darker and smaller than *A. pallescens*, to which it is closely allied. The typical specimen lent me by Dr. Aurivillius, and which is the one from which our figures are taken, appears to be much lighter in colour than the average examples.

The specimen figured is from the Stockholm Museum.

### 23. *Aconophora pallescens*. (Tab. V. fig. 23.)

*Aconophora pallescens*, Stål, Kongl. Sv. Vet.-Ak. Handl. Band viii. 1, p. 35<sup>1</sup>.

*Hab.* MEXICO (*Mus. Holm.*<sup>1</sup>; *coll. Signoret*); GUATEMALA, San Gerónimo and Coban in Vera Paz (*Champion*).

A specimen from the Stockholm Museum is figured.

### 24. *Aconophora viridula*, sp. n.

*A. pallescenti* affinis, sed latior, virescens, cornu pronoti multo magis depresso, pone deflexo; corpore subtus infusato; pedibus dilute testaceis.

Closely allied to *A. pallescens*, but easily distinguished by its considerably greater breadth and by the shape of the horn, which is short and almost deflexed; the tegmina are hyaline, with the veins fuscous or testaceous, and the legs are entirely light testaceous; the underside is infusate; the type specimen is greenish, the colour being especially marked in front, and in life the general colour is probably darkish green; the head is infusate, with a testaceous border; the tegmina are greenish-hyaline, with the veins testaceous; the underside is infusate; the legs are light testaceous.

Long. 7 millim.; ab humeris ad apicem cornus  $2\frac{1}{2}$  millim.; lat. int. hum. vix 3 millim.

*Hab.* MEXICO (*Höge*), Teapa in Tabasco (*H. H. Smith*).

Four specimens. Besides these, I also refer to the same species, with some doubt, three specimens from Chontales, Nicaragua (*Janson*), and one from David, Chiriqui (*Champion*).

I think it very probable that *A. pallescens* and other species, which have been described as testaceous, may in life be of a greenish colour.

### 25. *Aconophora gladiata*.

*Aconophora gladiata*, Stål, Kongl. Sv. Vet.-Ak. Handl. Band viii. 1, p. 35<sup>1</sup>.

*Hab.* MEXICO, Vera Cruz (*Sallé*, in *Mus. Holm.*<sup>1</sup>).

I have not seen this insect, which appears to have been described from a single specimen, nor can I identify it from the description among the Membracidæ in our collection.

### 26. *Aconophora obtusiuscula*, sp. n.

Parva, brevis, capite infusato, pronoto fusco-ferrugineo, subtiliter subrugose punctato, latitudine inter humeros longitudinem fere æquante, cornu brevissimo, crasso, humeris vix prominulis, apice ipso brevissimo, sed