

to the base of the pronotum, with a very slight interruption at the apex of the vertex; the white spot, moreover, before the apical fuscous portion is absent.

Long. 10 millim.; lat. ad hum. 2 millim.

*Hab.* MEXICO, San Marcos (*Bilimek, in Mus. Vind. Cæs.*).

It is possible this may prove to be a variety of the preceding, but it has a very different appearance.

### 81. *Tettigonia mexicana*.

*Tettigonia mexicana*, Sign. Ann. Soc. Ent. Fr. 1855, p. 789, t. 24. fig. 7<sup>1</sup>.

*Hab.* MEXICO (*Mus. Berol.*<sup>1</sup>).

Among some insects sent to me from the Vienna Museum as undetermined I found two specimens labelled "*T. mexicana*, det. Signoret"; this is, evidently, however, a mistake, as they are both red insects, one being *T. magica* and the other a variety of *T. blanchardi* or an allied species: the true *T. mexicana* appears to be entirely yellow, with numerous fine dark markings. I have not seen a typical example and cannot identify it in our collection.

### 82. *Tettigonia tessellata*.

*Tettigonia tessellata*, Sign. Ann. Soc. Ent. Fr. 1855, p. 790, t. 24. fig. 9<sup>1</sup>.

*Hab.* MEXICO (*Mus. Berol.*<sup>1</sup>); GUATEMALA (*Mus. Paris*<sup>1</sup>).

This species is not apparently represented in our collection, nor have I seen an example. According to Signoret's figure it has the upper surface evenly tessellated and marked with yellow and black: in his Latin diagnosis he says: "*Rufescens, brunneo lineolata et reticulata*"; and in the French description: "*Jaune, linéolée et réticulée de brun-rouge.*"

### 83. *Tettigonia vulnerata*. (Tab. XVII. fig. 21.)

*Tettigonia vulnerata*, Sign. Ann. Soc. Ent. Fr. 1855, p. 782, t. 23. fig. 20<sup>1</sup>.

*Hab.* MEXICO, Tierra Colorada in Guerrero (*H. H. Smith*); GUATEMALA (*Mus. Paris*<sup>1</sup>), San Gerónimo (*Champion*).

The specimen figured is from Tierra Colorada.

### 84. *Tettigonia recta*, sp. n. (Tab. XVII. fig. 22.)

Angusta, parallela, fusca flavo-variegata; capite obtuse triangulari, testaceo, maculis brunneis; pronoto convexo, fusco colore dilutiori obscure variegato; tegminibus parallelis, fuscis, maculis tribus dilute flavis; abdomine fusco; sterno pedibusque dilute testaceis.

A narrow, parallel species; head obtusely triangular, eyes scarcely prominent beyond the sides of the triangle, testaceous, variegated with light fuscous; pronotum convex, dark, obscurely variegated with lighter colour; scutellum variegated; tegmina parallel, fuscous, with three lemon-coloured patches on each—one at the