

## PHAULOTETTIX, Scudder.

*Phaulotettix*, Scudd. Proc. Amer. Acad. Art. Sci. xxxii. no. 9, p. 197 (Jan. 1897); Proc. U.S. Nat. Mus. xx. pp. 10, 29 (1897).

This is another genus of the wingless or brachypterous "Melanopli" that is confined to the arid regions of Northern Mexico.

1. *Phaulotettix compressus*, Scudd.

*Phaulotettix compressus*, Scudd. Proc. U.S. Nat. Mus. xx. p. 30, t. 2. fig. 11 (1897)<sup>1</sup>.

*Hab.* MEXICO, Montelovez in Coahuila<sup>1</sup>.

Not contained in the material studied nor known to the present writer.

## CEPHALOTETTIX, Scudder.

*Cephalotettix*, Scudd. Proc. Amer. Acad. Art. Sci. xxxii. p. 197 (1897); Proc. U.S. Nat. Mus. xx. pp. 10, 30 (1897).

The present genus is composed of a small, inconspicuous, subapterous form peculiar to Mexico. Two specimens only of *C. parvulus* are known.

1. *Cephalotettix parvulus*, Scudd.

*Pezotettix parvulus*, McNeill, MS.

*Cephalotettix parvulus*, Scudd. Proc. U.S. Nat. Mus. xx. p. 31 (1897)<sup>1</sup>.

*Pezotettix olivaceus*, Bruner, MS.

*Hab.* MEXICO, Atoyac, Vera Cruz<sup>1</sup> (*L. Bruner*), Orizaba<sup>1</sup> (*W. S. Blatchley*).

This insect bears a striking resemblance to *Melanoplus geniculatus*, which is also found in the same general region. The specimen from Atoyac was captured in December.

## RHABDOTETTIX, Scudder.

*Rhabdotettix*, Scudd. Proc. Amer. Acad. Art. Sci. xxxii. no. 9, p. 197 (1897); Proc. U.S. Nat. Mus. xx. pp. 10, 32 (1897).

This is another genus of "Melanopli" composed of brachypterous forms of moderate size, the distribution of which seems to be chiefly in the neighbourhood of the international boundary-line between Mexico and the United States. Three species have been described.

1. *Rhabdotettix concinnus*, Scudd.

*Rhabdotettix concinnus*, Scudd. Proc. U.S. Nat. Mus. xx. p. 33, t. 3. fig. 2 (1897)<sup>1</sup>.

*Hab.* NORTH AMERICA, Waco, Texas<sup>1</sup>.