

This species is omitted from Brunner and Redtenbacher's monograph; judging from the description, it appears to be closely allied to, and perhaps not distinct from, *O. mexicana*, Sauss.

### PARADIAPHEROMERA, Br.

*Paradiapheromera*, Brunner, op. cit. ii. p. 317 (1907).

#### *Conspectus specierum.*

- |                    |                                    |                          |
|--------------------|------------------------------------|--------------------------|
| 1. Statura major.  | Metanotum strumosum . . . . .      | <i>P. strumosa</i> , Br. |
| 1'. Statura minor. | Metanotum bituberculatum . . . . . | <i>P. armata</i> , Br.   |

#### 1. **Paradiapheromera strumosa**, Br. (Tab. V. fig. 4, ♂.)

*Paradiapheromera strumosa*, Brunner, op. cit. ii. p. 317 (1907).

*Hab.* PANAMA, Chiriqui\* (*Mus. Vienna*), Darien (*Mus. Paris, Mus. Oxford*).

#### 2. **Paradiapheromera armata**, Br. (Tab. V. fig. 3, ♂.)

*Paradiapheromera armata*, Brunner, op. cit. ii. p. 317 (1907).

*Hab.* PANAMA, Chiriqui 4000–6000 feet (*Champion, in coll. Godman & Salvin*: 1 ♂, type).

### DYME, Stål.

*Dyme*, Stål, Rec. Orth. iii. p. 23 (1875); Brunner, op. cit. ii. p. 318 (1907).

#### *Conspectus specierum.*

♂ ♂.

- |   |                                   |
|---|-----------------------------------|
| 1. Thorax tuberculatus . . . . .  | <i>D. grossetuberculata</i> , Br. |
| 1'. Thorax lævis.   |                                   |
| 2. Femora intermedia et postica apice subtus denticulata.   |                                   |
| 3. Femora intermedia et postica subtus carina mediana apice minutissime quadri- vel quinque-denticulata . . . . . | <i>D. discors</i> , Br.           |
| 3'. Femora intermedia apice subtus carina mediana bispinulosa.  | <i>D. modesta</i> , Br.           |
| 2'. Femora intermedia et postica apice subtus mutica.   |                                   |
| 3. Segmenta abdominalia terminalia haud carinata . . . . .  | <i>D. chiriquensis</i> , Br.      |
| 3'. Segmenta abdominalia terminalia carinata . . . . .  | <i>D. incolumis</i> , Br.         |

♀ ♀.

- |  |                                       |
|--|---------------------------------------|
| 1. Corpus plus minusve granulosum.                           |                                       |
| 2. Femora intermedia ante medium bilobulata . . . . .        | <i>D. depressa</i> , Br.              |
| 2'. Femora intermedia haud lobulata . . . . .                | <i>D. reclusa</i> , Br.               |
| 1'. Corpus læve. (Thorax interdum spinis nonnullis obsitus.) |                                       |
| 2. Thorax latere et subtus spinis longis . . . . .           | <i>D. irregulariter-spinosa</i> , Br. |
| 2'. Thorax muticus . . . . .                                 | <i>D. chiriquensis</i> , Br.          |

\* Chiriqui is in Panama, and not in Peru as stated in the "Monograph."