

This species is near the Brazilian *G. macropus* and the Colombian *G. longipes*, but readily distinguished from both by its extra-axillary flowers and the shape of its bracts.

3. **Guatteria diospyroides**, Baill. Adans. viii. p. 269.

SOUTH MEXICO, Chinantla (*Liebmann*). Hb. Kew.

4. **Guatteria galeottiana**, Baill. Adans. viii. p. 268.

SOUTH MEXICO, Comaltepec, Tuitalongo, and Lobani (*Liebmann*), Campeche (*Linden*). Hb. Paris.

5. **Guatteria jurgensenii**, Hemsley, Diag. Pl. Nov. pars i. p. 1.

Ramis teretibus, foliis amplis lanceolatis acuminatis breviter petiolatis subtus sparse pilosulis, floribus solitariis axillaribus pedunculatis, pedunculis ad medium articulatis infra articulationem multibracteatis, bracteis minutis (?) cito deciduis.

Arbor? Rami teretes, glabrescentes. Folia subcoriacea, lanceolato-oblonga, 6-9-poll., longe et obtuse acuminata, basi cuneata, petiolata, integerrima, supra glabra nitida reticulato-venosa, subtus sparse pilosula costa elevata venis reticulatis prominentibus; petiolis crassis, 3-4 lin. longis. Pedunculi ferrugineo-pubescentes, 9-12 lineas longi, infra medium articulati, supra articulationem ebracteati, sursum gradatim incrassati, infra articulationem graciliores pluribracteati, bracteis deciduis. Flores sericeo-pubescentes, circiter 1 poll. diametro; sepalis 3, subrotundatis, acutis, 2-3 lin. longis; petalis 6, fere æqualibus, coriaceis, obovato-ellipticis, acutis, extus intusque sericeis; stamina numerosissima, styli æquilonga, connectivo ultra loculos antherarum late truncato dilatato; ovaria numerosissima, sericea, stylis brevissimis. Fructus nobis ignotus.

SOUTH MEXICO, Sierra San Pedro Nolasco, Talea, &c. (*Jurgensen*, 718). Hb. Kew.

This species appears to be closely allied to *G. galeottiana*, Baillon, from which, however, it differs in various characters, judging from his description.

6. **Guatteria macrantha**, Presl, Reliq. Hænk. ii. p. 78.

MEXICO (*Hænke*).

7. **Guatteria schomburgkiana**, Mart. Fl. Bras. Anon. p. 38, in adnot.

PANAMA, San Lorenzo (*Seemann*); GUIANA and BRAZIL. Hb. Kew.

8. **Guatteria**, sp.

NICARAGUA, Chontales (*Tate*, 2). Hb. Kew.

9. **Guatteria**, sp.

NICARAGUA, Chontales (*Tate*, 4). Hb. Kew.

10. **Guatteria**, sp.

COSTA RICA (*Endres*, 176). Hb. Kew.

11. **Guatteria**, sp.

COSTA RICA, 3500 feet (*Endres*, 13). Hb. Kew.