

1. **Chenopodium album**, Linn.; DC. Prodr. xiii. 2, p. 70; Wats. in Proc. Am. Acad. ix. p. 96.

An Old-World species, now common in many parts of America, including MEXICO. Hb. Kew.

2. **Chenopodium ambrosioides**, Linn. Sp. Pl. p. 320; DC. Prodr. xiii. 2, p. 72; Griseb. Fl. Brit. W. Ind. p. 60.

Ambrina ambrosioides, Spach, Veg. Phan. v. p. 207.

A common species in TROPICAL AMERICA, now also common in most other warm countries. Hb. Kew.

3. **Chenopodium berlandieri**, Moq. Chenop. Enum. p. 23, et in DC. Prodr. xiii. 2, p. 63; Wats. in Proc. Am. Acad. ix. p. 95.

FLORIDA; TEXAS.—MEXICO, around the city of Mexico (*Berlandier*, 1906).

4. **Chenopodium bipinnatifidum**, Moric., ex Moq. in DC. Prodr. xiii. 2, p. 76. *Ambrina dissecta*, Moq. Chenop. Enum. p. 38.

MEXICO, mountains of Mexico (*Berlandier*, 613).

5. **Chenopodium botrys**, Linn. Sp. Pl. p. 320; DC. Prodr. xiii. 2, p. 75; Wats. in Proc. Am. Acad. ix. p. 98.

A European species, now wild in many other countries, including MEXICO. Hb. Kew.

6. **Chenopodium cornutum**, Benth. et Hook. f., ex Wats. Bot. Calif. ii. p. 482. *Teloxys cornuta*, Torr. in Bot. Whipple's Exped. p. 129, et Bot. U.S. & Mex. Bound. Surv. p. 182.

NORTH MEXICO, Mount Graham and Santa Rita del Cobre, within the old boundary (*Rothrock*).

7. **Chenopodium foetidum**, Schrad. in Mag. Gesell. Nat. Berl. 1808, p. 79, non Lam., ex Moq. in DC. Prodr. xiii. 2, p. 76.

Chenopodium graveolens, Lag. et Rodr. in Ann. Sc. Nat. 1802, p. 70, t. 5 (non Willd.).

Chenopodium schraderianum, Rœm. et Schult. Syst. Veg. vi. p. 260.

Botrydium schraderi, Spach, Veg. Phan. v. p. 299.

Ambrina foetida, Moq. Chenop. Enum. p. 38.

Chenopodium effusum, Mart. et Gal. in Bull. Acad. Brux. x. (reprint, p. 6).

SOUTH MEXICO, Sierra San Pedro Nolasco &c. (*Jurgensen*, 722), peak of Orizaba, at 7000 to 8000 feet (*Galeotti*, 384; *Linden*, 63), valley of Mexico (*Bourgeau*, 895). Hb. Kew.

Moquin gives the further distribution of this species as Buenos Ayres, Abyssinia, and the Cape of Good Hope.

8. **Chenopodium fremontii**, Wats. in King's Rep. v. p. 287, et in Proc. Am. Acad. ix. p. 94.

COLORADO to CALIFORNIA, and southward to NEW MEXICO.—NORTH MEXICO, on Mount Graham, within the old boundary (*Rothrock*).