

3. **Suæda torreyana**, Wats. in Proc. Am. Acad. ix. p. 88.*Chenopodina linearis*, Torr. in Stansbury's Rep. p. 394.*Suæda fruticosa*, Hook. et Arn. Bot. Beech. Voy. p. 387.*Chenopodina moquini*, Torr. in Pacif. Railr. Rep. vii. p. 18.

WYOMING and NEVADA to CALIFORNIA and NEW MEXICO.—NORTH MEXICO (ex *Watson*).  
Hb. Kew?

There is a specimen of a species of *Suæda* in Kew herbarium from South Mexico (Vera Cruz to Orizaba, *Müller*, 1379) which may belong to one of the foregoing.

## 7. SALSOLA.

*Salsola*, Linn. Gen. Plant. n. 311; Benth. et Hook. Gen. Plant. iii. p. 71.

Herbs, half-shrubs, and shrubs, the greater number inhabiting Europe, North Africa, and Temperate and Tropical Asia, ten South Africa, and one North and South America and Australasia.

1. **Salsola kali**, Linn. Sp. Pl. p. 322; DC. Prodr. xiii. 2, p. 187; Wats. in Proc. Am. Acad. ix. p. 85; Fl. Dan. t. 818.

This species grows in North and South America, and covers nearly the whole range of the Order, except South Africa; but we have not seen any Mexican or Central-American specimens, though it may be expected to occur.

## 8. BOUSSINGAULTIA.

*Boussingaultia*, H. B. K. Nov. Gen. et Sp. vii. p. 194, t. 645 bis; Benth. et Hook. Gen. Plant. iii. p. 77.

Twining herbs, restricted to Tropical America. About ten species are known.

1. **Boussingaultia baselloides**, H. B. K. Nov. Gen. et Sp. vii. p. 196, t. 645 bis; DC. Prodr. xiii. 2, p. 228; Bot. Mag. t. 3620.

*Boussingaultia leptostachys*, Moq. in DC. Prodr. xiii. 2, p. 229.

SOUTH MEXICO, Gonacatepec (*Andrieux*, 72).—And in South America southward to SOUTH BRAZIL. Hb. Kew.

2. **Boussingaultia ramosa**, Hemsley.

*Tandonia ramosa*, Moq. in DC. Prodr. xiii. 2, p. 227.

GUATEMALA, Dueñas, at 5000 feet (*Salvin*), without locality (*Skinner*). Hb. Kew.

## 9. ANREDERA.

*Anredera*, Juss. Gen. Plant. p. 84; Benth. et Hook. Gen. Plant. iii. p. 78.

An herbaceous twining monotype, endemic in America.