

[i. p. 303.] 2. **Canavalia obtusifolia**, DC.

GUATEMALA (*Bernoulli & Cario*, 1185). Hb. Kew.

[i. p. 303.] 4. **Canavalia villosa**, Benth.; S. Wats. in Proc. Am. Acad. xvii. p. 346.

NORTH MEXICO, in the Caracol Mountains, south of Monclova, Coahuila (*Palmer*, 259).

[i. p. 304.] 5. **Phaseolus atropurpureus**, DC.; S. Wats. in Proc. Am. Acad. xvii. p. 346.

NORTH MEXICO, in the mountains north of Monclova (*Palmer*, 262).

[i. p. 306.] 23*. **Phaseolus (Drepanospron) polymorphus**, S. Wats. in Proc. Am. Acad. xvii. p. 346.

Phaseoli, spp. nn. 38 et 39, huj. op. i. p. 307.

NORTH MEXICO, region of San Luis Potosi 6000 to 8000 feet (*Parry & Palmer*, 186, 188). Hb. Kew.

[i. p. 306.] 25*. **Phaseolus (Drepanospron) scabrellus**, Benth. in Herb. Gray ex S. Wats. in Proc. Am. Acad. xvii. p. 346.

NORTH MEXICO, in the Caracol Mountains, Coahuila (*Palmer*, 2122), Sonora Alta (*Coulter*).

[i. p. 309.] 1. **Pachyrhizus angulatus**, Rich.

GUATEMALA (*Bernoulli & Cario*, 1162). Hb. Kew.

[i. p. 311.] 7. **Rhynchosia macrocarpa**, Benth.; S. Wats. in Proc. Am. Acad. xvii. p. 347.

NORTH MEXICO, region of San Luis Potosi 6000 to 8000 feet (*Parry & Palmer*, 184), San Miguelito Mountains (*Schaffner*, 826); GUATEMALA (*Bernoulli & Cario*, 6249). Hb. Kew.

[i. p. 311.] 10. **Rhynchosia phaseoloides**, DC.; S. Wats. in Proc. Am. Acad. xvii. p. 347.

NORTH MEXICO, in the Santa Maria del Rio Mountains (*Schaffner*, 827).

[i. p. 313.] 6. **Eriosema violaceum**, G. Don.

GUATEMALA (*Bernoulli & Cario*, 1222). Hb. Kew.

[i. p. 326.] 3*. **Hoffmanseggia gracilis**, S. Wats. in Proc. Am. Acad. xvii. p. 437.

NORTH MEXICO, in the Sierra Madre, south of Saltillo (*Palmer*, 275).

[i. p. 326.] 8. **Hoffmanseggia stricta**, Benth.; S. Wats. in Proc. Am. Acad. xvii. p. 347.

NORTH MEXICO, Saltillo and Parras, Coahuila (*Palmer*, 267, 268).