

[i. p. 565.] 1\*. **Eulophus texanus**, Benth. et Hook. f. Gen. Pl. i. pp. 882 et 885; S. Wats. in Proc. Am. Acad. xvii. p. 361.

*Tauschia texana*, A. Gr. Pl. Lindh. p. 211, et Pl. Wright. i. p. 79.

TEXAS.—NORTH MEXICO, Lerios, Coahuila (*Palmer*, 386).

[i. p. 566.] 3\*. **Apium popei**, A. Gr. in Proc. Am. Acad. vii. p. 343; S. Wats. in Proc. Am. Acad. xvii. p. 361.

*Ammoselinum popei*, Torr. & A. Gr. Pacif. Railr. Rep. ii. p. 165.

TEXAS.—NORTH MEXICO, Monterey, Nuevo Leon (*Palmer*, 2109 in part).

[i. p. 569.] 1. **Angelica mexicana**, Vatke; S. Wats. in Proc. Am. Acad. xvii. p. 361.

*Peucedanum* spp. nn. 3 et 7, Biol. Centr.-Am., Bot. i. p. 570, fide Wats.

SOUTH MEXICO, valley of Mexico (*Bourgeau*, 316, 571). Hb. Kew.

[i. p. 570.] 1\*. **Peucedanum mexicanum**, S. Wats. in Proc. Am. Acad. xvii. p. 361.

NORTH MEXICO, near Morales (*Schaffner*, 4), region of San Luis Potosi 6000 to 8000 feet (*Parry & Palmer*, 288). Hb. Kew.

## ARALIACEÆ.

[i. p. 574.] 15. **Oreopanax xalapense**, Planch. et Dcne.

On the authority of Seemann (Journ. Bot. vii. p. 351), *Monopanax ghiesbreghtii*, Regel, Gartenfl. 1869, p. 35, t. 606, is a synonym of this.

## CAPRIFOLIACEÆ.

[ii. p. 2.] 9. **Viburnum membranaceum**, Hemsl.; S. Wats. in Proc. Am. Acad. xviii. p. 96.

NORTH MEXICO, Caracol Mountains, Coahuila (*Palmer*, 388).

[ii. p. 4.] 1. **Symphoricarpus microphyllus**, H. B. K.; S. Wats. in Proc. Am. Acad. xviii. p. 96.

NORTH MEXICO, in the Sierra Madre south of Saltillo and at Lerios east of that city (*Palmer*, 390).

[ii. p. 5.] 1\*. **Lonicera albiflora**, Torr. & A. Gr. Fl. N. Am. ii. p. 6.

ARKANSAS; TEXAS.—NORTH MEXICO, in the Sierra Madre, south of Saltillo (*Palmer*, 389).

[ii. p. 5.] 2\*. **Lonicera involucrata**, Banks; Torr. & A. Gr. Fl. N. Am. ii. p. 9; S. Wats. in Proc. Am. Acad. xviii. p. 96.

Watson states that *L. mociniana*, DC., is doubtless this species, which inhabits North America from Saskatchewan southward to California.