

[ii. p. 48.] 8*. **Psychotria cyanococca**, Seem.; Fl. Mag. t. 479, copied in Flore des Serres, t. 1938.

NICARAGUA, Chontales (*Seemann*).

[ii. p. 56.] 9. **Diodia tetracocca**, Hemsl.; A. Gr. in Proc. Am. Acad. xix. p. 78.

Dr. Gray finds this not specifically different from his *D. tricocca*, and refers both forms to the genus *Crusea* under the name of *C. allococca*, A. Gr.

ii. p. 57, line 12 from top, add DC. after *Crusea coccinea*.

ii. p. 57, line 7 from bottom, for *subulata* read *subalata*.

[ii. p. 60.] 23. **Spermacoce subulata**, Pav.; A. Gr. in Proc. Am. Acad. xix. p. 78.

Dr. Gray refers this to the genus *Crusea*.

[ii. p. 61.] 1. **Mitracarpum breviflorum**, A. Gr.; S. Wats. in Proc. Am. Acad. xviii. p. 98.

NORTH MEXICO, valley of San Luis Potosi (*Schaffner*, 1035).

[ii. p. 62.] 1. **Galium (Relbunium) aschenbornii**, Schauer in Linnæa, xx. p. 701; S. Wats. in Proc. Am. Acad. xviii. p. 99.

NORTH MEXICO, in the San Miguelito Mountains, San Luis Potosi (*Schaffner*, 841), without locality (*Aschenborn*).

[ii. p. 65.] 12. **Galium obstipum**, Schl.

GUATEMALA (*Bernoulli & Cario*, 1653). Hb. Kew.

[ii. p. 66.] 14. **Galium proliferum**, A. Gr.; S. Wats. in Proc. Am. Acad. xviii. p. 99.

TEXAS.—NORTH MEXICO, Guajuco, Nuevo Leon (*Palmer*, 411).

VALERIANACEÆ.

[ii. p. 68.] 10*. **Valeriana mikania**, Lindl. in Journ. Hort. Soc. Lond. iii. p. 316.

GUATEMALA. Raised from seeds among the rubbish received with Mr. Skinner's Guatemala Orchids.

[ii. p. 69.] 24. **Valeriana**, sp. (*Astrephia mexicana*, Seem. nec Hook. et Arn. =19. **Valeriana sorbifolia**, H. B. K. fide S. Wats. in Proc. Am. Acad. xviii. p. 99.